
SHEET: A-002




1 SITE DEVELOPMENT PLAN

SCALE 1 : 200 METERS

OWNER'S COPY

SHEET: A-100




1 GROUND FLOOR PLAN

SCALE 1 : 100 METERS

REVISIONS - 06			AS OF 04/16/2025
NO.	DESCRIPTION	INITIATED BY	REMARKS
6	REVISED SERVICE ROOM T&B DOOR LOCATION	EAC	ADDITIVE/ SUBTRACTIVE
	REVISED SERVICE ROOM T&B SHOWER LOCATION	EAC	ADDITIVE/ SUBTRACTIVE

OWNER'S COPY

SHEET: A-101



1 SECOND FLOOR PLAN


SCALE 1 : 100 METERS

REVISIONS - 05 AS OF 10/15/2024

NO.	DESCRIPTION	INITIATED BY	REMARKS
5	REVISED & ADDITIONAL WINDOWS/DOOR	EAC	ADDITIVE/ SUBTRACTIVE
	REVISED WALL SET-OUT	EAC	ADDITIVE/ SUBTRACTIVE
	REVISED WOOD DECKING	EAC	ADDITIVE/ SUBTRACTIVE

OWNER'S COPY

SHEET: A-102




1 ATTIC PLAN

SCALE 1 : 100 METERS

OWNER'S COPY

SHEET: A-103

ROOF AREA (SQM.)
462.96




1 ROOF PLAN

SCALE 1 : 100 METERS

OWNER'S COPY

SHEET: A-104

SCHEDULE OF FINISHES	
TAG	DESCRIPTION
CF-01	10 MM THK GYPSUM CEILING BOARD ON CLOSED CHANNEL FURRING; PAINTED FINISH
CF-02	10 MM THK MOISTURE RESISTANT GYPSUM CEILING BOARD ON CLOSED CHANNEL METAL FURRING; PAINTED FINISH
CF-03	ENGINEERED WOOD WITH MOISTURE RESISTANT SUBSTRATE



1 GROUND FLOOR REFLECTED CEILING PLAN

SCALE 1 : 100 METERS

ELECTRICAL SYMBOLS LEGEND

- SIMPLEX CONVENIENCE OUTLET / DUPLEX CONVENIENCE OUTLET — WHEREIN 'X' DENOTES: WH - WATER HEATER; WP - WEATHERPROOF; GFCI - GROUND FAULT CIRCUIT INTERRUPTER
- SIMPLEX CONVENIENCE OUTLET — WHEREIN 'X' DENOTES: FCU - FAN COIL UNIT; REF - REFRIGERATOR; R - COOKING RANGE; RH - RANGE HOOD; REF - REFRIGERATOR; WM - WASHING MACHINE; DRY - CLOTHES DRYER; DW - DISHWASHER; OV - OVEN
- DUPLEX CONVENIENCE OUTLET — WHEREIN 'X' DENOTES: 4 - QUADRUPLEX OUTLET
- FLOOR MOUNTED OUTLET
- FIBER TO THE HOME CONSOLIDATION PANELBOARD (FTTH)
- POWER OR LIGHTING PANELBOARD
- LIGHTING OR POWER SWITCH — WHEREIN 'X' DENOTES: "abc" - SWITCHING
- 3-WAY LIGHTING OR POWER SWITCH — WHEREIN 'X' DENOTES: "3abc" - SWITCHING
- 4-WAY LIGHTING OR POWER SWITCH — WHEREIN 'X' DENOTES: "3abc" - SWITCHING

LIGHTING SYMBOLS LEGEND

- LED STRIP LIGHT UNDER COUNTER — WHEREIN 'X' DENOTES: "x" - SWITCHING
- LED STRIP LIGHT — WHEREIN 'X' DENOTES: "x" - SWITCHING
- DECORATIVE LIGHT — WHEREIN 'X' DENOTES: "x" - SWITCHING
- PIN LIGHT — WHEREIN 'X' DENOTES: "x" - SWITCHING
- CHANDELIER — WHEREIN 'X' DENOTES: "x" - SWITCHING
- PENDANT LIGHT — WHEREIN 'X' DENOTES: "x" - SWITCHING
- SURFACE MOUNTED DOWNLIGHT — WHEREIN 'X' DENOTES: "x" - SWITCHING
- WALL SCONCE — WHEREIN 'X' DENOTES: "x" - SWITCHING
- FLOOR LIGHT — WHEREIN 'X' DENOTES: "x" - SWITCHING
- LINEAR LIGHT — WHEREIN 'X' DENOTES: "x" - SWITCHING

MECHANICAL SYMBOLS LEGEND

- CEILING EXHAUST FAN — WHEREIN 'X' DENOTES: "x" - SWITCHING
- ACCU — CONDENSER UNIT
- FCU — SPLIT TYPE FAN COIL UNIT
- FCU X — CASSETTE TYPE FAN COIL UNIT
- LINEAR DIFFUSER FOR DUCTED

AUXILIARY SYMBOLS LEGEND

- WALL OUTLET — WHEREIN 'X' DENOTES: C - CATV; D - DATA; TEL - TELEPHONE; TV - TELEVISION

RCP SWITCH COLOR CODE

- ab — CONTROL 4 - SWITCHES FOR HARDWIRE
- cd — CONTROL 4 - AUTOMATED SWITCHES
- ij — CONTROL 4 - AUTOMATED SWITCHES - CURTAINS
- g — VIMAR SWITCHES


DATA EQUIPMENT LEGEND

- CCTV — WHEREIN 'X' DENOTES: CCTV; CH - DOORBELL CHIME; I - INTERCOM; WH - WATER HEATER; O - DOORBELL

OWNER'S COPY

SHEET: A-105

SCHEDULE OF FINISHES	
TAG	DESCRIPTION
CF-01	10 MM THK GYPSUM CEILING BOARD ON CLOSED CHANNEL FURRING; PAINTED FINISH
CF-02	10 MM THK MOISTURE RESISTANT GYPSUM CEILING BOARD ON CLOSED CHANNEL METAL FURRING; PAINTED FINISH
CF-03	ENGINEERED WOOD WITH MOISTURE RESISTANT SUBSTRATE



1 SECOND FLOOR REFLECTED CEILING PLAN

SCALE 1 : 100 METERS

ELECTRICAL SYMBOLS LEGEND

- SIMPLEX CONVENIENCE OUTLET / DUPLEX CONVENIENCE OUTLET — WHEREIN 'X' DENOTES: WH - WATER HEATER; WP - WEATHERPROOF; GFCI - GROUND FAULT CIRCUIT INTERRUPTER
- SIMPLEX CONVENIENCE OUTLET — WHEREIN 'X' DENOTES: FCU - FAN COIL UNIT; REF - REFRIGERATOR; R - COOKING RANGE; RH - RANGE HOOD; REF - REFRIGERATOR; WM - WASHING MACHINE; DRY - CLOTHES DRYER; DW - DISHWASHER; OV - OVEN
- DUPLEX CONVENIENCE OUTLET — WHEREIN 'X' DENOTES: 4 - QUADRUPLEX OUTLET
- FLOOR MOUNTED OUTLET
- FIBER TO THE HOME CONSOLIDATION PANELBOARD
- POWER OR LIGHTING PANELBOARD
- LIGHTING OR POWER SWITCH — WHEREIN 'X' DENOTES: "abc" - SWITCHING
- 3-WAY LIGHTING OR POWER SWITCH — WHEREIN 'X' DENOTES: "3abc" - SWITCHING
- 4-WAY LIGHTING OR POWER SWITCH — WHEREIN 'X' DENOTES: "3abc" - SWITCHING

LIGHTING SYMBOLS LEGEND

- LED STRIP LIGHT UNDER COUNTER — WHEREIN 'X' DENOTES: "x" - SWITCHING
- LED STRIP LIGHT — WHEREIN 'X' DENOTES: "x" - SWITCHING
- DECORATIVE LIGHT — WHEREIN 'X' DENOTES: "x" - SWITCHING
- PIN LIGHT — WHEREIN 'X' DENOTES: "x" - SWITCHING
- CHANDELIER — WHEREIN 'X' DENOTES: "x" - SWITCHING
- PENDANT LIGHT — WHEREIN 'X' DENOTES: "x" - SWITCHING
- SURFACE MOUNTED DOWNLIGHT — WHEREIN 'X' DENOTES: "x" - SWITCHING
- WALL SCONCE — WHEREIN 'X' DENOTES: "x" - SWITCHING
- FLOOR LIGHT — WHEREIN 'X' DENOTES: "x" - SWITCHING
- LINEAR LIGHT — WHEREIN 'X' DENOTES: "x" - SWITCHING

MECHANICAL SYMBOLS LEGEND

- CEILING EXHAUST FAN — WHEREIN 'X' DENOTES: "x" - SWITCHING
- ACCU — CONDENSER UNIT
- FCU — SPLIT TYPE FAN COIL UNIT
- FCU — CASSETTE TYPE FAN COIL UNIT
- LINEAR DIFFUSER FOR DUCTED

AUXILIARY SYMBOLS LEGEND

- WALL OUTLET — WHEREIN 'X' DENOTES: C - CATV; D - DATA; TEL - TELEPHONE; TV - TELEVISION

RCP SWITCH COLOR CODE


- ab — CONTROL 4 - SWITCHES FOR HARDWIRE
- cd — CONTROL 4 - AUTOMATED SWITCHES
- ij — CONTROL 4 - AUTOMATED SWITCHES - CURTAINS
- g — VIMAR SWITCHES

DATA EQUIPMENT LEGEND

- CCTV — WHEREIN 'X' DENOTES: CCTV; CH - DOORBELL CHIME; I - INTERCOM; WH - WATER HEATER; O - DOORBELL

OWNER'S COPY

SHEET: A-106



1 GROUND FLOOR LANDSCAPE LIGHTING PLAN

SCALE 1 : 100 METERS

ELECTRICAL SYMBOLS LEGEND

- SIMPLEX CONVENIENCE OUTLET / DUPLEX CONVENIENCE OUTLET — WHEREIN 'X' DENOTES: WH - WATER HEATER; WP - WEATHERPROOF; GFCI - GROUND FAULT CIRCUIT INTERRUPTER
- SIMPLEX CONVENIENCE OUTLET — WHEREIN 'X' DENOTES: FCU - FAN COIL UNIT; REF - REFRIGERATOR; R - COOKING RANGE; RH - RANGE HOOD; REF - REFRIGERATOR; WM - WASHING MACHINE; DRY - CLOTHES DRYER; DW - DISHWASHER; OV - OVEN
- DUPLEX CONVENIENCE OUTLET — WHEREIN 'X' DENOTES: 4 - QUADRUPLEX OUTLET
- FLOOR MOUNTED OUTLET
- FIBER TO THE HOME CONSOLIDATION PANELBOARD
- POWER OR LIGHTING PANELBOARD
- LIGHTING OR POWER SWITCH — WHEREIN 'X' DENOTES: "abc" - SWITCHING
- 3-WAY LIGHTING OR POWER SWITCH — WHEREIN 'X' DENOTES: "3abc" - SWITCHING
- 4-WAY LIGHTING OR POWER SWITCH — WHEREIN 'X' DENOTES: "3abc" - SWITCHING

LIGHTING SYMBOLS LEGEND

- LED STRIP LIGHT UNDER COUNTER — WHEREIN 'X' DENOTES: "x" - SWITCHING
- LED STRIP LIGHT — WHEREIN 'X' DENOTES: "x" - SWITCHING
- DECORATIVE LIGHT — WHEREIN 'X' DENOTES: "x" - SWITCHING
- PIN LIGHT — WHEREIN 'X' DENOTES: "x" - SWITCHING
- CHANDELIER — WHEREIN 'X' DENOTES: "x" - SWITCHING
- PENDANT LIGHT — WHEREIN 'X' DENOTES: "x" - SWITCHING
- SURFACE MOUNTED DOWNLIGHT — WHEREIN 'X' DENOTES: "x" - SWITCHING
- WALL SCONCE — WHEREIN 'X' DENOTES: "x" - SWITCHING
- FLOOR LIGHT — WHEREIN 'X' DENOTES: "x" - SWITCHING
- LINEAR LIGHT — WHEREIN 'X' DENOTES: "x" - SWITCHING

MECHANICAL SYMBOLS LEGEND

- CEILING EXHAUST FAN — WHEREIN 'X' DENOTES: "x" - SWITCHING
- ACCU — CONDENSER UNIT
- FCU — SPLIT TYPE FAN COIL UNIT
- FCU — CASSETTE TYPE FAN COIL UNIT
- LINEAR DIFFUSER FOR DUCTED

AUXILIARY SYMBOLS LEGEND

- WALL OUTLET — WHEREIN 'X' DENOTES: C - CATV; D - DATA; TEL - TELEPHONE; TV - TELEVISION

RCP SWITCH COLOR CODE


- ab — CONTROL 4 - SWITCHES FOR HARDWIRE
- cd — CONTROL 4 - AUTOMATED SWITCHES
- ij — CONTROL 4 - AUTOMATED SWITCHES - CURTAINS
- g — VIMAR SWITCHES

DATA EQUIPMENT LEGEND

- CCTV — WHEREIN 'X' DENOTES: CCTV; CH - DOORBELL CHIME; I - INTERCOM; WH - WATER HEATER; O - DOORBELL

OWNER'S COPY

SHEET: A-107



1 GROUND FLOOR POWER AND AUXILIARY PLAN

SCALE 1 : 100 METERS

ELECTRICAL SYMBOLS LEGEND

- SIMPLEX CONVENIENCE OUTLET / DUPLEX CONVENIENCE OUTLET
  WHEREIN 'X' DENOTES:
  WH - WATER HEATER
  WP - WEATHERPROOF
  GFCI - GROUND FAULT CIRCUIT INTERRUPTER
- SIMPLEX CONVENIENCE OUTLET
  WHEREIN 'X' DENOTES:
  FCU - FAN COIL UNIT
  REF - REFRIGERATOR
  R - COOKING RANGE
  RH - RANGE HOOD
  REF - REFRIGERATOR
  WM - WASHING MACHINE
  DRY - CLOTHES DRYER
  DW - DISHWASHER
  OV - OVEN
- DUPLEX CONVENIENCE OUTLET
  WHEREIN 'X' DENOTES:
  4 - QUADRUPLEX OUTLET
- FLOOR MOUNTED OUTLET
- FIBER TO THE HOME CONSOLIDATION PANELBOARD
- POWER OR LIGHTING PANELBOARD
- LIGHTING OR POWER SWITCH
  WHEREIN 'X' DENOTES:
  "abc" - SWITCHING
- 3-WAY LIGHTING OR POWER SWITCH
  WHEREIN 'X' DENOTES:
  "3abc" - SWITCHING
- 4-WAY LIGHTING OR POWER SWITCH
  WHEREIN 'X' DENOTES:
  "3abc" - SWITCHING

LIGHTING SYMBOLS LEGEND

- LED STRIP LIGHT UNDER COUNTER
  WHEREIN 'X' DENOTES:
  "x" - SWITCHING
- LED STRIP LIGHT
  WHEREIN 'X' DENOTES:
  "x" - SWITCHING
- DECORATIVE LIGHT
  WHEREIN 'X' DENOTES:
  "x" - SWITCHING
- PIN LIGHT
  WHEREIN 'X' DENOTES:
  "x" - SWITCHING
- CHANDELIER
  WHEREIN 'X' DENOTES:
  "x" - SWITCHING
- PENDANT LIGHT
  WHEREIN 'X' DENOTES:
  "x" - SWITCHING
- SURFACE MOUNTED DOWNLIGHT
  WHEREIN 'X' DENOTES:
  "x" - SWITCHING
- WALL SCONCE
  WHEREIN 'X' DENOTES:
  "x" - SWITCHING
- FLOOR LIGHT
  WHEREIN 'X' DENOTES:
  "x" - SWITCHING
- LINEAR LIGHT
  WHEREIN 'X' DENOTES:
  "x" - SWITCHING

MECHANICAL SYMBOLS LEGEND

- CEILING EXHAUST FAN
  WHEREIN 'X' DENOTES:
  "x" - SWITCHING
- ACCU — CONDENSER UNIT
- FCU — SPLIT TYPE FAN COIL UNIT
- FCU — CASSETTE TYPE FAN COIL UNIT
- LINEAR DIFFUSER FOR DUCTED

AUXILIARY SYMBOLS LEGEND

- WALL OUTLET
  WHEREIN 'X' DENOTES:
  C - CATV
  D - DATA
  TEL - TELEPHONE
  TV - TELEVISION

RCP SWITCH COLOR CODE


- ab — CONTROL 4 - SWITCHES FOR HARDWIRE
- cd — CONTROL 4 - AUTOMATED SWITCHES
- ij — CONTROL 4 - AUTOMATED SWITCHES - CURTAINS
- g — VIMAR SWITCHES

DATA EQUIPMENT LEGEND

- CCTV
  WHEREIN 'X' DENOTES:
  CCTV
  CH - DOORBELL CHIME
  I - INTERCOM
  WH - WATER HEATER
  O - DOORBELL

OWNER'S COPY

SHEET: A-108



1 SECOND FLOOR POWER AND AUXILIARY PLAN

SCALE 1 : 100 METERS

ELECTRICAL SYMBOLS LEGEND

- SIMPLEX CONVENIENCE OUTLET / DUPLEX CONVENIENCE OUTLET
  WHEREIN 'X' DENOTES:
  WH - WATER HEATER
  WP - WEATHERPROOF
  GFCI - GROUND FAULT CIRCUIT INTERRUPTER
- SIMPLEX CONVENIENCE OUTLET
  WHEREIN 'X' DENOTES:
  FCU - FAN COIL UNIT
  REF - REFRIGERATOR
  R - COOKING RANGE
  RH - RANGE HOOD
  REF - REFRIGERATOR
  WM - WASHING MACHINE
  DRY - CLOTHES DRYER
  DW - DISHWASHER
  OV - OVEN
- DUPLEX CONVENIENCE OUTLET
  WHEREIN 'X' DENOTES:
  4 - QUADRUPLEX OUTLET
- FLOOR MOUNTED OUTLET
- FIBER TO THE HOME CONSOLIDATION PANELBOARD
- POWER OR LIGHTING PANELBOARD
- LIGHTING OR POWER SWITCH
  WHEREIN 'X' DENOTES:
  "abc" - SWITCHING
- 3-WAY LIGHTING OR POWER SWITCH
  WHEREIN 'X' DENOTES:
  "3abc" - SWITCHING
- 4-WAY LIGHTING OR POWER SWITCH
  WHEREIN 'X' DENOTES:
  "3abc" - SWITCHING

LIGHTING SYMBOLS LEGEND

- LED STRIP LIGHT UNDER COUNTER
  WHEREIN 'X' DENOTES:
  "x" - SWITCHING
- LED STRIP LIGHT
  WHEREIN 'X' DENOTES:
  "x" - SWITCHING
- DECORATIVE LIGHT
  WHEREIN 'X' DENOTES:
  "x" - SWITCHING
- PIN LIGHT
  WHEREIN 'X' DENOTES:
  "x" - SWITCHING
- CHANDELIER
  WHEREIN 'X' DENOTES:
  "x" - SWITCHING
- PENDANT LIGHT
  WHEREIN 'X' DENOTES:
  "x" - SWITCHING
- SURFACE MOUNTED DOWNLIGHT
  WHEREIN 'X' DENOTES:
  "x" - SWITCHING
- WALL SCONCE
  WHEREIN 'X' DENOTES:
  "x" - SWITCHING
- FLOOR LIGHT
  WHEREIN 'X' DENOTES:
  "x" - SWITCHING
- LINEAR LIGHT
  WHEREIN 'X' DENOTES:
  "x" - SWITCHING

MECHANICAL SYMBOLS LEGEND

- CEILING EXHAUST FAN
  WHEREIN 'X' DENOTES:
  "x" - SWITCHING
- ACCU — CONDENSER UNIT
- FCU — SPLIT TYPE FAN COIL UNIT
- FCU — CASSETTE TYPE FAN COIL UNIT
- LINEAR DIFFUSER FOR DUCTED

AUXILIARY SYMBOLS LEGEND

- WALL OUTLET
  WHEREIN 'X' DENOTES:
  C - CATV
  D - DATA
  TEL - TELEPHONE
  TV - TELEVISION

RCP SWITCH COLOR CODE


- ab CONTROL 4 - SWITCHES FOR HARDWIRE
- cd CONTROL 4 - AUTOMATED SWITCHES
- ij CONTROL 4 - AUTOMATED SWITCHES - CURTAINS
- g VIMAR SWITCHES

DATA EQUIPMENT LEGEND

- CCTV
  WHEREIN 'X' DENOTES:
  CCTV
  CH - DOORBELL CHIME
  I - INTERCOM
  WH - WATER HEATER
  O - DOORBELL

OWNER'S COPY

SHEET: A-109



1 GROUND FLOOR WALL SET-OUT PLAN


SCALE 1 : 100 METERS

REVISIONS - 05 AS OF 10/15/2024

NO.	DESCRIPTION	INITIATED BY	REMARKS
5	REVISED & ADDITIONAL WINDOWS/DOOR	EAC	ADDITIVE/ SUBTRACTIVE
	REVISED WALL SET-OUT	EAC	ADDITIVE/ SUBTRACTIVE
	REVISED WOOD DECKING	EAC	ADDITIVE/ SUBTRACTIVE

OWNER'S COPY

SHEET: A-110



1 SECOND FLOOR WALL SET-OUT PLAN

SCALE 1 : 100 METERS


REVISIONS - 05 AS OF 10/15/2024

NO.	DESCRIPTION	INITIATED BY	REMARKS
5	REVISED & ADDITIONAL WINDOWS/DOOR	EAC	ADDITIVE/ SUBTRACTIVE
	REVISED WALL SET-OUT	EAC	ADDITIVE/ SUBTRACTIVE
	REVISED WOOD DECKING	EAC	ADDITIVE/ SUBTRACTIVE


OWNER'S COPY

SHEET: A-111


LEGEND OF WALL TYPES

DRAWING CONVENTION	TAG	DESCRIPTION
	WT-01a	12mm THK GYPSUM BOARD IN METAL FURRING IN ROCKWOOL INSULATION OR APPROVE EQUIVALENT BOTH SIDES
	WT-01b	12mm THK GYPSUM BOARD IN METAL FURRING IN ROCKWOOL INSULATION OR APPROVE EQUIVALENT BOTH SIDES
	WT-01c	12mm THK GYPSUM BOARD IN METAL FURRING IN ROCKWOOL INSULATION OR APPROVE EQUIVALENT BOTH SIDES
	WT-01d	12mm THK GYPSUM BOARD IN METAL FURRING IN ROCKWOOL INSULATION OR APPROVE EQUIVALENT BOTH SIDES
	WT-01e	12mm THK GYPSUM BOARD IN METAL FURRING IN ROCKWOOL INSULATION OR APPROVE EQUIVALENT BOTH SIDES
	WT-01f	12mm THK GYPSUM BOARD IN METAL FURRING IN ROCKWOOL INSULATION OR APPROVE EQUIVALENT BOTH SIDES


LEGEND OF WALL TYPES


DRAWING CONVENTION	TAG	DESCRIPTION
	WT-02	100MM THK CHB WALL WITH 25MM PLASTER THK BOTH SIDES
	WT-03	150MM THK CHB WALL WITH 25MM THK STONE CLADDING EXTERIOR SIDE
	WT-04a	150MM THK CHB WALL WITH 25MM THK PLASTER BOTH SIDES
	WT-04b	200MM THK CHB WALL WITH 25MM THK PLASTER BOTH SIDES
	WT-04c	150MM THK CHB WALL WITH 25MM THK PLASTER ON ONE SIDE, AND 100MM THK DRYWALL CLADDING ON OTHERSIDE

LEGEND OF WALL TYPES

DRAWING CONVENTION	TAG	DESCRIPTION
	WT-05a	150MM THK CHB WALL WITH 25MM THK PLASTER ON ONE SIDE, AND 25MM THK STONE CLADDING ON OTHERSIDE
	WT-05b	150MM THK CHB WALL WITH 25MM THK PLASTER ON ONE SIDE, AND 75MM THK STONE CLADDING ON OTHERSIDE
	WT-05c	150MM THK CHB WALL WITH 25MM THK PLASTER ON ONE SIDE, AND 100MM THK STONE CLADDING ON OTHERSIDE
	WT-05d	150MM THK CHB WALL WITH 75MM THK STONE CLADDING ON ONE SIDE, AND 75MM THK DRYWALL CLADDING ON OTHERSIDE
	WT-05e	150MM THK CHB WALL WITH 25MM THK PLASTER ON ONE SIDE, AND 125 MM THK STONE CLADDING ON OTHERSIDE
	WT-05f	150MM THK CHB WALL WITH 25MM THK STONE CLADDING BOTHSIDES
	WT-05g	150MM THK CHB WALL WITH 75MM THK STONE CLADDING ON BOTH SIDES


LEGEND OF WALL TYPES

DRAWING CONVENTION	TAG	DESCRIPTION
	WT-06a	150MM THK CHB WALL WITH 75MM THK DRYWALL ON BOTH SIDES
	WT-06b	200MM THK CHB WALL WITH 25MM THK PLASTER ON ONE SIDE, AND 75MM THK DRYWALL CLADDING ON OTHERSIDE
	WT-06d	150MM THK CHB WALL WITH 25MM THK PLASTER ON ONE SIDE, AND 75MM THK DRYWALL CLADDING ON OTHERSIDE
	WT-07a	150MM THK CHB WALL WITH 25MM THK PLASTER ON ONE SIDE, AND 75MM THK WOOD CLADDING ON OTHERSIDE
	WT-07b	150MM THK CHB WALL WITH 75MM THK PLASTER ON ONE SIDE, AND 75MM THK DRYWALL CLADDING ON OTHERSIDE
	WT-07c	200MM THK CHB WALL WITH 25MM THK PLASTER ON ONE SIDE, AND 75MM THK WOOD CLADDING ON OTHERSIDE



1
2
3
4
5
6
7
45000
4075
2500
1865
4685
7300
4650
7700
12225
1625
10600
D
C
B"
B'
B
A
17000
2000
1075
4400
4050
4400
1075
1825
925
1100
3500
7800
7350
WT-04a
WT-02
WT-05d
WT-01c
WT-05e
WT-05b
WT-06a
WT-05b
WT-04a
WT-05b
WT-01c
WT-05b
WT-05b
WT-04a
WT-04a
WT-04a

SHEET: A-112


LEGEND OF WALL TYPES

DRAWING CONVENTION	TAG	DESCRIPTION
	WT-01a	12mm THK GYPSUM BOARD IN METAL FURRING IN ROCKWOOL INSULATION OR APPROVE EQUIVALENT BOTH SIDES
	WT-01b	12mm THK GYPSUM BOARD IN METAL FURRING IN ROCKWOOL INSULATION OR APPROVE EQUIVALENT BOTH SIDES
	WT-01c	12mm THK GYPSUM BOARD IN METAL FURRING IN ROCKWOOL INSULATION OR APPROVE EQUIVALENT BOTH SIDES
	WT-01d	12mm THK GYPSUM BOARD IN METAL FURRING IN ROCKWOOL INSULATION OR APPROVE EQUIVALENT BOTH SIDES
	WT-01e	12mm THK GYPSUM BOARD IN METAL FURRING IN ROCKWOOL INSULATION OR APPROVE EQUIVALENT BOTH SIDES
	WT-01f	12mm THK GYPSUM BOARD IN METAL FURRING IN ROCKWOOL INSULATION OR APPROVE EQUIVALENT BOTH SIDES


LEGEND OF WALL TYPES


DRAWING CONVENTION	TAG	DESCRIPTION
	WT-02	100MM THK CHB WALL WITH 25MM PLASTER THK BOTH SIDES
	WT-03	150MM THK CHB WALL WITH 25MM THK STONE CLADDING EXTERIOR SIDE
	WT-04a	150MM THK CHB WALL WITH 25MM THK PLASTER BOTH SIDES
	WT-04b	200MM THK CHB WALL WITH 25MM THK PLASTER BOTH SIDES
	WT-04c	150MM THK CHB WALL WITH 25MM THK PLASTER ON ONE SIDE, AND 100MM THK DRYWALL CLADDING ON OTHERSIDE

LEGEND OF WALL TYPES

DRAWING CONVENTION	TAG	DESCRIPTION
	WT-05a	150MM THK CHB WALL WITH 25MM THK PLASTER ON ONE SIDE, AND 25MM THK STONE CLADDING ON OTHERSIDE
	WT-05b	150MM THK CHB WALL WITH 25MM THK PLASTER ON ONE SIDE, AND 75MM THK STONE CLADDING ON OTHERSIDE
	WT-05c	150MM THK CHB WALL WITH 25MM THK PLASTER ON ONE SIDE, AND 100MM THK STONE CLADDING ON OTHERSIDE
	WT-05d	150MM THK CHB WALL WITH 75MM THK STONE CLADDING ON ONE SIDE, AND 75MM THK DRYWALL CLADDING ON OTHERSIDE
	WT-05e	150MM THK CHB WALL WITH 25MM THK PLASTER ON ONE SIDE, AND 125 MM THK STONE CLADDING ON OTHERSIDE
	WT-05f	150MM THK CHB WALL WITH 25MM THK STONE CLADDING BOTHSIDES
	WT-05g	150MM THK CHB WALL WITH 75MM THK STONE CLADDING ON BOTH SIDES

LEGEND OF WALL TYPES

DRAWING CONVENTION	TAG	DESCRIPTION
	WT-06a	150MM THK CHB WALL WITH 75MM THK DRYWALL ON BOTH SIDES
	WT-06b	200MM THK CHB WALL WITH 25MM THK PLASTER ON ONE SIDE, AND 75MM THK DRYWALL CLADDING ON OTHERSIDE
	WT-06d	150MM THK CHB WALL WITH 25MM THK PLASTER ON ONE SIDE, AND 75MM THK DRYWALL CLADDING ON OTHERSIDE
	WT-07a	150MM THK CHB WALL WITH 25MM THK PLASTER ON ONE SIDE, AND 75MM THK WOOD CLADDING ON OTHERSIDE
	WT-07b	150MM THK CHB WALL WITH 75MM THK PLASTER ON ONE SIDE, AND 75MM THK DRYWALL CLADDING ON OTHERSIDE
	WT-07c	200MM THK CHB WALL WITH 25MM THK PLASTER ON ONE SIDE, AND 75MM THK WOOD CLADDING ON OTHERSIDE



1 SECOND FLOOR WALL TYPE PLAN


SCALE 1 : 100 METERS

OWNER'S COPY

SHEET: A-113

SCHEDULE OF FINISHES	
TAG	DESCRIPTION
WF-02	1200 X 1200 MM STONE TILES; OSM TO BE VERIFIED BY ARCHITECT
WF-03	600 X 600 MM GRAY HOMOGENOUS CERAMIC TILES; OSM
WF-04	200 X 200 MM PAVER TILES
WF-05	1200 X 2780 MM ITALIAN TILES (BEIGE); VERIFY COLOR WITH ARCHITECT WALL FINISHES
WF-06	EXTERIOR WOOD CLADDING
WF-07	HONED TRAVERTINE STONE
WF-08	INTERIOR WOOD CLADDING
WF-09	BLACK METAL SHEET; TO BE VERIFIED BY ARCHITECT
WF-10	WALL PAPER WALL
WF-12	LATEX MATTE WHITE PAINT
WF-13	600 X 600 MM GRAY STONE TILES; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-14	FABRIC PATTERNED WALLPAPERS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-18	BRONZE METAL STRIPS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-19	FABRIC WALL PANELS OVER WHITE PAINT
WF-20	WHITE MARBLE FINISH;

SCHEDULE OF FIN SHE	
TAG	DESCRIPTI




1 GROUND FLOOR WALL FINISH PLAN

SCALE 1 : 100 METERS

OWNER'S COPY

SHEET: A-114



1 SECOND FLOOR WALL FINISH PLAN

SCALE 1 : 100 METERS

SCHEDULE OF FINISHES	
TAG	DESCRIPTION
WF-02	1200 X 1200 MM STONE TILES; OSM TO BE VERIFIED BY ARCHITECT
WF-03	600 X 600 MM GRAY HOMOGENOUS CERAMIC TILES; OSM
WF-04	200 X 200 MM PAVER TILES
WF-05	1200 X 2780 MM ITALIAN TILES (BEIGE); VERIFY COLOR WITH ARCHITECT WALL FINISHES
WF-06	EXTERIOR WOOD CLADDING
WF-07	HONED TRAVERTINE STONE
WF-08	INTERIOR WOOD CLADDING
WF-09	BLACK METAL SHEET; TO BE VERIFIED BY ARCHITECT
WF-10	WALL PAPER WALL
WF-12	LATEX MATTE WHITE PAINT
WF-13	600 X 600 MM GRAY STONE TILES; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-14	FABRIC PATTERNED WALLPAPERS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-18	BRONZE METAL STRIPS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-19	FABRIC WALL PANELS OVER WHITE PAINT
WF-20	WHITE MARBLE FINISH;

SCHEDULE OF FIN SHE	
TAG	DESCRIPTI

OWNER'S COPY

SHEET: A-115


LEGEND	LOCATION	AREA (SQM)
T&Bs	GUEST ROOM T&B	8.47
	POWDER ROOM	4.73
	TOTAL	13.20
LEGEND	**LOCATION**	**AREA (SQM)**
SERVICE AREA	LAUNDRY	11.72
	SERVICE KITCHEN	14.65
	SERVICE ROOM	11.06
	SERVICE T&B	3.04
	STORAGE ROOM	4.21
	TOTAL	44.68

LEGEND	LOCATION	AREA(SQM)
INTERIOR STONE	LIVING AREA+FOYER	117
	KITCHEN	40.21
	ENTERTAINMENT ROOM	30.45
	PANTRY	8.65
	TOTAL	196.69
INTERIOR STONE	ENTRANCE	32.57

LEGEND	LOCATION	AREA (SQM)
WOOD (INTERIOR)	GUEST ROOM	20.22
	OFFICE	26.71
	SHOE STORAGE	2.10
	TOTAL	49.03
WOOD (EXTERIOR)	LANAI	97.83
	TOTAL	97.83
LEGEND	**LOCATION**	**AREA(SQM)**
SERVICE PAVER TILES	GUARD HOUSE	8.91
	STORAGE	3.76
	TOTAL	12.67


SCHEDULE OF FINISHES

TAG	DESCRIPTION
FF-01	1200 X 1200 MM STATUARIO WHITE STONE; TO BE VERIFIED BY ARCHITECT
FF-04	1200 X 2780 MM ITALIAN TILES (BEIGE); TO BE VERIFIED BY ARCHITECT
FF-05	600 X 600 MM GRAY WALL TILES WITH 1.5 MM TILE SPACING, LIGHT GRAY GROUT TO MATCH TILES (VERIFY WITH ARCHITECT DURING OCULAR INSPECTION) ; OSM
FF-06	ENGINEERED WOOD PLANKS
FF-07	200 X 200 MM PAVERS TILES
FF-11	1200 X 1200 MM HONED TRAVERTINE STONES



1 GROUND FLOOR FLOOR FINISH PLAN

SCALE 1 : 100 METERS



2 TILE THRESHOLD DETAIL

SCALE 1 : 25 METERS

OWNER'S COPY


SHEET: A-116

LEGEND	LOCATION	AREA (SQM)
T&Bs	MASTER T&B	16.94
	FAMILY ROOM T&B	4.86
	ROOM 3 T&B	10.82
	ROOM 4 T&B	6.43
	TOTAL	39.05

LEGEND	LOCATION	AREA(SQM)
STONE	STAIR THREADS	13.39
	STAIR RISERS	6.20
	TOTAL	19.59

LEGEND	LOCATION	AREA (SQM)	SIZE (WxHxL) MM
WOOD	MASTER BEDROOM	36.24	290W x 14H x 2450L
	MASTER LIVING	32.34	
	MASTER WIC	19.82	
	FAMILY ROOM	26.29	
	GIRLS BEDROOM	30.14	
	GIRLS WIC	6.51	
	BOYS BEDROOM	27.77	
	HALLWAY	23.40	
	SERVER ROOM	1.45	
	STORAGE ROOM	2.10	
	TOTAL	206.06	

SCHEDULE OF FINISHES	
TAG	DESCRIPTION
FF-01	1200 X 1200 MM STATUARIO WHITE STONE; TO BE VERIFIED BY ARCHITECT
FF-04	1200 X 2780 MM ITALIAN TILES (BEIGE); TO BE VERIFIED BY ARCHITECT
FF-05	600 X 600 MM GRAY WALL TILES WITH 1.5 MM TILE SPACING, LIGHT GRAY GROUT TO MATCH TILES (VERIFY WITH ARCHITECT DURING OCULAR INSPECTION) ; OSM
FF-06	ENGINEERED WOOD PLANKS
FF-07	200 X 200 MM PAVERS TILES
FF-11	1200 X 1200 MM HONED TRAVERTINE STONES




1 SECOND FLOOR FLOOR FINISH PLAN

SCALE 1 : 100 METERS

OWNER'S COPY

SHEET: A-117



1 GROUND FLOOR DOOR AND WINDOW REFERENCE PLAN


SCALE 1 : 100 METERS

REVISIONS - 05 AS OF 10/15/2024

NO.	DESCRIPTION	INITIATED BY	REMARKS
5	REVISED & ADDITIONAL WINDOWS/DOOR	EAC	ADDITIVE/ SUBTRACTIVE
	REVISED WALL SET-OUT	EAC	ADDITIVE/ SUBTRACTIVE
	REVISED WOOD DECKING	EAC	ADDITIVE/ SUBTRACTIVE

OWNER'S COPY

SHEET: A-118



1 SECOND FLOOR DOOR AND WINDOW REFERENCE PLAN


SCALE 1 : 100 METERS

REVISIONS - 05 AS OF 10/15/2024

NO.	DESCRIPTION	INITIATED BY	REMARKS
5	REVISED & ADDITIONAL WINDOWS/DOOR	EAC	ADDITIVE/ SUBTRACTIVE
	REVISED WALL SET-OUT	EAC	ADDITIVE/ SUBTRACTIVE
	REVISED WOOD DECKING	EAC	ADDITIVE/ SUBTRACTIVE

OWNER'S COPY

SHEET: A-119




1 SECOND FLOOR CANTILEVER SLAB LAYOUT PLAN

SCALE 1 : 100 METERS

OWNER'S COPY

SHEET: A-120

LEGEND	LOCATION	AREA(SQM)
STONE	FRONT ELEVATION	34.45
	LEFT SIDE ELEVATION	59.75
	REAR ELEVATION	26.17
	RIGHT SIDE ELEVATION	49.23
	FOYER	66.96
	LIVING AREA	115.30
	GUEST ROOM	3.46
	OFFICE	3.46
	BOYS ROOM	8.19
	GIRLS ROOM	8.19
	RETURNS (CEILING/WALLS)	9.17
	TOTAL	384.33




1 GROUND FLOOR WALL SET-OUT PLAN

SCALE 1 : 100 METERS

OWNER'S COPY

SHEET: A-121

LEGEND	LOCATION	AREA(SQM)
	FRONT ELEVATION	34.45
	LEFT SIDE ELEVATION	59.75
	REAR ELEVATION	26.17
	RIGHT SIDE ELEVATION	49.23
	FOYER	66.96
STONE	LIVING AREA	115.30
	GUEST ROOM	3.46
	OFFICE	3.46
	BOYS ROOM	8.19
	GIRLS ROOM	8.19
	RETURNS (CEILING/WALLS)	9.17
	TOTAL	384.33




1 SECOND FLOOR WALL SET-OUT PLAN

SCALE 1 : 100 METERS

OWNER'S COPY

SHEET: A-122

LOCATION	AREA (SQM)
GROUND FLOOR EAVES	82.63
SECOND FLOOR EAVES	109.95
TOTAL	192.58




1 GROUND FLOOR EAVES CEILING PLAN

SCALE 1 : 100 METERS

OWNER'S COPY

SHEET: A-123

LOCATION	AREA (SQM)
GROUND FLOOR EAVES	82.63
SECOND FLOOR EAVES	109.95
TOTAL	192.58




1 SECOND FLOOR EAVES CEILING PLAN

SCALE 1 : 100 METERS

OWNER'S COPY

SHEET: A-124

LEGEND	LOCATION	AREA(SQM)
STONE	FRONT ELEVATION	34.45
	LEFT SIDE ELEVATION	59.75
	REAR ELEVATION	26.17
	RIGHT SIDE ELEVATION	49.23
	FOYER	66.96
	LIVING AREA	115.30
	GUEST ROOM	3.46
	OFFICE	3.46
	BOYS ROOM	8.19
	GIRLS ROOM	8.19
	RETURNS (CEILING/WALLS)	9.17
	TOTAL	384.33




1 GROUND FLOOR STONE RETURN CEILING PLAN

SCALE 1 : 100 METERS

OWNER'S COPY

SHEET: A-125




1 GROUND FLOOR LOUVER REFERENCE PLAN

SCALE 1 : 100 METERS

OWNER'S COPY

SHEET: A-126




1 SECOND FLOOR LOUVER REFENCE PLAN

SCALE 1 : 100 METERS

OWNER'S COPY

SHEET: A-127

LEGEND	LOCATION	AREA (SQM)	SIZE (WxHxL) MM
WOOD (EXTERIOR)	KITCHEN LANAI	31.69	290W x 14H x 2450L
	LIVING ROOM LANAI	46.60	
	TOTAL	78.29	
WOOD (INTERIOR)	GUEST ROOM	20.22	290W x 14H x 2450L
	OFFICE ROOM	26.71	
	SHOE STORAGE	2.10	
	TOTAL	49.03	



WOOD FLOOR


1 GROUND FLOOR FINISH PLAN

SCALE 1 : 100 METERS

OWNER'S COPY

SHEET: A-128

LEGEND	LOCATION	AREA (SQM)	SIZE (WxHxL) MM
WOOD	MASTER BEDROOM	36.24	290W x 14H x 2450L
	MASTER LIVING	32.34	
	MASTER WIC	19.82	
	FAMILY ROOM	26.29	
	GIRLS BEDROOM	30.14	
	GIRLS WIC	6.51	
	BOYS BEDROOM	27.77	
	HALLWAY	23.40	
	SERVER ROOM	1.45	
	STORAGE ROOM	2.10	
	TOTAL	206.06	



WOOD FLOOR

1 SECOND FLOOR FINISH PLAN

SCALE 1 : 100 METERS

OWNER'S COPY

SHEET: A-129

LOT 5, BLK.9
(LRC) PCS-20076

LOT 16, BLK.9
(LRC) PCS-20076

LOT 14, BLK.9
(LRC) PCS-20076

EXISTING ROAD LOT (GREEN MEADOWS AVE.)

3500

REFER TO DRAWING
A-523

12700

3500

46450

67250

3550

3500

REFER TO DRAWING
A-523

3500


1100

SCALE 1 : 150 METERS

1 PERIMETER WALL PLAN

OWNER'S COPY

SHEET: A-130



1 GROUND FLOOR MOUNTED OUTLET PLAN

SCALE 1 : 100 METERS

ELECTRICAL SYMBOLS LEGEND

- SIMPLEX CONVENIENCE OUTLET
- DUPLEX CONVENIENCE OUTLET
  WHEREIN 'X' DENOTES:
  WH - WATER HEATER
  WP - WEATHERPROOF
  GFCI - GROUND FAULT CIRCUIT INTERRUPTER
- SIMPLEX CONVENIENCE OUTLET
  WHEREIN 'X' DENOTES:
  FCU - FAN COIL UNIT
  REF - REFRIGERATOR
  R - COOKING RANGE
  RH - RANGE HOOD
  REF - REFRIGERATOR
  WM - WASHING MACHINE
  DRY - CLOTHES DRYER
  DW - DISHWASHER
  OV - OVEN
- DUPLEX CONVENIENCE OUTLET
  WHEREIN 'X' DENOTES:
  4 - QUADRUPLEX OUTLET
- FLOOR MOUNTED OUTLET
- FIBER TO THE HOME CONSOLIDATION PANELBOARD
- POWER OR LIGHTING PANELBOARD
- LIGHTING OR POWER SWITCH
  WHEREIN 'X' DENOTES:
  "abc" - SWITCHING
- 3-WAY LIGHTING OR POWER SWITCH
  WHEREIN 'X' DENOTES:
  "3abc" - SWITCHING
- 4-WAY LIGHTING OR POWER SWITCH
  WHEREIN 'X' DENOTES:
  "3abc" - SWITCHING

LIGHTING SYMBOLS LEGEND

- LED STRIP LIGHT UNDER COUNTER
  WHEREIN 'X' DENOTES:
  "x" - SWITCHING
- LED STRIP LIGHT
  WHEREIN 'X' DENOTES:
  "x" - SWITCHING
- DECORATIVE LIGHT
  WHEREIN 'X' DENOTES:
  "x" - SWITCHING
- PIN LIGHT
  WHEREIN 'X' DENOTES:
  "x" - SWITCHING
- CHANDELIER
  WHEREIN 'X' DENOTES:
  "x" - SWITCHING
- PENDANT LIGHT
  WHEREIN 'X' DENOTES:
  "x" - SWITCHING
- SURFACE MOUNTED DOWNLIGHT
  WHEREIN 'X' DENOTES:
  "x" - SWITCHING
- WALL SCONCE
  WHEREIN 'X' DENOTES:
  "x" - SWITCHING
- FLOOR LIGHT
  WHEREIN 'X' DENOTES:
  "x" - SWITCHING
- LINEAR LIGHT
  WHEREIN 'X' DENOTES:
  "x" - SWITCHING

MECHANICAL SYMBOLS LEGEND

- CEILING EXHAUST FAN
  WHEREIN 'X' DENOTES:
  "x" - SWITCHING
- ACCU — CONDENSER UNIT
- FCU — SPLIT TYPE FAN COIL UNIT
- FCU — CASSETTE TYPE FAN COIL UNIT
- LINEAR DIFFUSER FOR DUCTED

AUXILIARY SYMBOLS LEGEND

- WALL OUTLET
  WHEREIN 'X' DENOTES:
  C - CATV
  D - DATA
  TEL - TELEPHONE
  TV - TELEVISION

RCP SWITCH COLOR CODE


- ab CONTROL 4 - SWITCHES FOR HARDWIRE
- cd CONTROL 4 - AUTOMATED SWITCHES
- ij CONTROL 4 - AUTOMATED SWITCHES - CURTAINS
- g VIMAR SWITCHES

DATA EQUIPMENT LEGEND

- CCTV
  WHEREIN 'X' DENOTES:
  CCTV
  CH - DOORBELL CHIME
  I - INTERCOM
  WH - WATER HEATER
  O - DOORBELL

OWNER'S COPY

SHEET: A-131



1 SECOND FLOOR MOUNTED OUTLET PLAN

SCALE 1 : 100 METERS

ELECTRICAL SYMBOLS LEGEND

- SIMPLEX CONVENIENCE OUTLET
- DUPLEX CONVENIENCE OUTLET
  - WHEREIN 'X' DENOTES:
  - WH - WATER HEATER
  - WP - WEATHERPROOF
  - GFCI - GROUND FAULT CIRCUIT INTERRUPTER
- SIMPLEX CONVENIENCE OUTLET
  - WHEREIN 'X' DENOTES:
  - FCU - FAN COIL UNIT
  - REF - REFRIGERATOR
  - R - COOKING RANGE
  - RH - RANGE HOOD
  - REF - REFRIGERATOR
  - WM - WASHING MACHINE
  - DRY - CLOTHES DRYER
  - DW - DISHWASHER
  - OV - OVEN
- DUPLEX CONVENIENCE OUTLET
  - WHEREIN 'X' DENOTES:
  - 4 - QUADRUPLEX OUTLET
- FLOOR MOUNTED OUTLET
- FIBER TO THE HOME CONSOLIDATION PANELBOARD
- POWER OR LIGHTING PANELBOARD
- LIGHTING OR POWER SWITCH
  - WHEREIN 'X' DENOTES:
  - "abc" - SWITCHING
- 3-WAY LIGHTING OR POWER SWITCH
  - WHEREIN 'X' DENOTES:
  - "3abc" - SWITCHING
- 4-WAY LIGHTING OR POWER SWITCH
  - WHEREIN 'X' DENOTES:
  - "3abc" - SWITCHING

LIGHTING SYMBOLS LEGEND

- LED STRIP LIGHT UNDER COUNTER
  - WHEREIN 'X' DENOTES:
  - "x" - SWITCHING
- LED STRIP LIGHT
  - WHEREIN 'X' DENOTES:
  - "x" - SWITCHING
- DECORATIVE LIGHT
  - WHEREIN 'X' DENOTES:
  - "x" - SWITCHING
- PIN LIGHT
  - WHEREIN 'X' DENOTES:
  - "x" - SWITCHING
- CHANDELIER
  - WHEREIN 'X' DENOTES:
  - "x" - SWITCHING
- PENDANT LIGHT
  - WHEREIN 'X' DENOTES:
  - "x" - SWITCHING
- SURFACE MOUNTED DOWNLIGHT
  - WHEREIN 'X' DENOTES:
  - "x" - SWITCHING
- WALL SCONCE
  - WHEREIN 'X' DENOTES:
  - "x" - SWITCHING
- FLOOR LIGHT
  - WHEREIN 'X' DENOTES:
  - "x" - SWITCHING
- LINEAR LIGHT
  - WHEREIN 'X' DENOTES:
  - "x" - SWITCHING

MECHANICAL SYMBOLS LEGEND

- CEILING EXHAUST FAN
  - WHEREIN 'X' DENOTES:
  - "x" - SWITCHING
- ACCU — CONDENSER UNIT
- FCU — SPLIT TYPE FAN COIL UNIT
- FCU — CASSETTE TYPE FAN COIL UNIT
- LINEAR DIFFUSER FOR DUCTED

AUXILIARY SYMBOLS LEGEND

- WALL OUTLET
  - WHEREIN 'X' DENOTES:
  - C - CATV
  - D - DATA
  - TEL - TELEPHONE
  - TV - TELEVISION

RCP SWITCH COLOR CODE


- ab — CONTROL 4 - SWITCHES FOR HARDWIRE
- cd — CONTROL 4 - AUTOMATED SWITCHES
- ij — CONTROL 4 - AUTOMATED SWITCHES - CURTAINS
- gc — VIMAR SWITCHES

DATA EQUIPMENT LEGEND

- CCTV
  - WHEREIN 'X' DENOTES:
  - CCTV
  - CH - DOORBELL CHIME
  - I - INTERCOM
  - WH - WATER HEATER
  - O - DOORBELL

OWNER'S COPY

SHEET: A-132



1 ATTIC REFLECTED CEILING PLAN

SCALE 1 : 100 METERS

SCHEDULE OF FINISHES	
TAG	DESCRIPTION
CF-01	10 MM THK GYPSUM CEILING BOARD ON CLOSED CHANNEL FURRING; PAINTED FINISH
CF-02	10 MM THK MOISTURE RESISTANT GYPSUM CEILING BOARD ON CLOSED CHANNEL METAL FURRING; PAINTED FINISH
CF-03	ENGINEERED WOOD WITH MOISTURE RESISTANT SUBSTRATE

ELECTRICAL SYMBOLS LEGEND

- SIMPLEX CONVENIENCE OUTLET / DUPLEX CONVENIENCE OUTLET — WHEREIN 'X' DENOTES: WH - WATER HEATER; WP - WEATHERPROOF; GFCI - GROUND FAULT CIRCUIT INTERRUPTER
- SIMPLEX CONVENIENCE OUTLET — WHEREIN 'X' DENOTES: FCU - FAN COIL UNIT; REF - REFRIGERATOR; R - COOKING RANGE; RH - RANGE HOOD; REF - REFRIGERATOR; WM - WASHING MACHINE; DRY - CLOTHES DRYER; DW - DISHWASHER; OV - OVEN
- DUPLEX CONVENIENCE OUTLET — WHEREIN 'X' DENOTES: 4 - QUADRUPLEX OUTLET
- FLOOR MOUNTED OUTLET
- FIBER TO THE HOME CONSOLIDATION PANELBOARD
- POWER OR LIGHTING PANELBOARD
- LIGHTING OR POWER SWITCH — WHEREIN 'X' DENOTES: "abc" - SWITCHING
- 3-WAY LIGHTING OR POWER SWITCH — WHEREIN 'X' DENOTES: "3abc" - SWITCHING
- 4-WAY LIGHTING OR POWER SWITCH — WHEREIN 'X' DENOTES: "3abc" - SWITCHING

LIGHTING SYMBOLS LEGEND

- LED STRIP LIGHT UNDER COUNTER — WHEREIN 'X' DENOTES: "x" - SWITCHING
- LED STRIP LIGHT — WHEREIN 'X' DENOTES: "x" - SWITCHING
- DECORATIVE LIGHT — WHEREIN 'X' DENOTES: "x" - SWITCHING
- PIN LIGHT — WHEREIN 'X' DENOTES: "x" - SWITCHING
- CHANDELIER — WHEREIN 'X' DENOTES: "x" - SWITCHING
- PENDANT LIGHT — WHEREIN 'X' DENOTES: "x" - SWITCHING
- SURFACE MOUNTED DOWNLIGHT — WHEREIN 'X' DENOTES: "x" - SWITCHING
- WALL SCONCE — WHEREIN 'X' DENOTES: "x" - SWITCHING
- FLOOR LIGHT — WHEREIN 'X' DENOTES: "x" - SWITCHING
- LINEAR LIGHT — WHEREIN 'X' DENOTES: "x" - SWITCHING

MECHANICAL SYMBOLS LEGEND

- CEILING EXHAUST FAN — WHEREIN 'X' DENOTES: "x" - SWITCHING
- ACCU — CONDENSER UNIT
- FCU — SPLIT TYPE FAN COIL UNIT
- FCU — CASSETTE TYPE FAN COIL UNIT
- LINEAR DIFFUSER FOR DUCTED

AUXILIARY SYMBOLS LEGEND

- WALL OUTLET — WHEREIN 'X' DENOTES: C - CATV; D - DATA; TEL - TELEPHONE; TV - TELEVISION

RCP SWITCH COLOR CODE

- ab CONTROL 4 - SWITCHES FOR HARDWIRE
- cd CONTROL 4 - AUTOMATED SWITCHES
- ij CONTROL 4 - AUTOMATED SWITCHES - CURTAINS
- g VIMAR SWITCHES


DATA EQUIPMENT LEGEND

- CCTV — WHEREIN 'X' DENOTES: CCTV; CH - DOORBELL CHIME; I - INTERCOM; WH - WATER HEATER; O - DOORBELL

OWNER'S COPY

SHEET: A-133

GENERAL NOTE:
1. VERIFY DIMENSIONS ON SITE




1 SERVICE KITCHEN BLOW-UP PLAN

SCALE 1 : 15 METERS

OWNER'S COPY

SHEET: A-134

GENERAL NOTE:
1. VERIFY DIMENSIONS ON SITE




1 LAUNDRY BLOW-UP PLAN

SCALE 1 : 15 METERS

OWNER'S COPY

SHEET: A-135

GENERAL NOTE:
1. VERIFY DIMENSIONS ON SITE




1 PANTRY BLOW-UP PLAN

SCALE 1 : 15 METERS

OWNER'S COPY

SHEET: A-136



1 GROUND FLOOR CASEWORK REFERENCE PLAN


SCALE 1 : 100 METERS

REVISIONS - 05 AS OF 10/15/2024

NO.	DESCRIPTION	INITIATED BY	REMARKS
5	REVISED & ADDITIONAL WINDOWS/DOOR	EAC	ADDITIVE/ SUBTRACTIVE
	REVISED WALL SET-OUT	EAC	ADDITIVE/ SUBTRACTIVE
	REVISED WOOD DECKING	EAC	ADDITIVE/ SUBTRACTIVE

OWNER'S COPY

SHEET: A-137



1 SECOND FLOOR DOOR AND WINDOW REFERENCE PLAN


SCALE 1 : 100 METERS

REVISIONS - 05 AS OF 10/15/2024

NO.	DESCRIPTION	INITIATED BY	REMARKS
5	REVISED & ADDITIONAL WINDOWS/DOOR	EAC	ADDITIVE/ SUBTRACTIVE
	REVISED WALL SET-OUT	EAC	ADDITIVE/ SUBTRACTIVE
	REVISED WOOD DECKING	EAC	ADDITIVE/ SUBTRACTIVE


OWNER'S COPY

SHEET: A-200



1 FRONT ELEVATION

SCALE 1 : 100 METERS



3 LEFT SIDE ELEVATION


SCALE 1 : 100 METERS

REVISIONS - 05 AS OF 10/15/2024

NO.	DESCRIPTION	INITIATED BY	REMARKS
5	REVISED & ADDITIONAL WINDOWS/DOOR	EAC	ADDITIVE/ SUBTRACTIVE
	REVISED WALL SET-OUT	EAC	ADDITIVE/ SUBTRACTIVE
	REVISED WOOD DECKING	EAC	ADDITIVE/ SUBTRACTIVE


OWNER'S COPY

SHEET: A-201



1 REAR ELEVATION

SCALE 1 : 100 METERS



2 RIGHT SIDE ELEVATION


SCALE 1 : 100 METERS

REVISIONS - 05 AS OF 10/15/2024


NO.	DESCRIPTION	INITIATED BY	REMARKS
5	REVISED & ADDITIONAL WINDOWS/DOOR	EAC	ADDITIVE/ SUBTRACTIVE
	REVISED WALL SET-OUT	EAC	ADDITIVE/ SUBTRACTIVE
	REVISED WOOD DECKING	EAC	ADDITIVE/ SUBTRACTIVE

OWNER'S COPY


SHEET: A-202




1 FRONT ROOF ELEVATION
SCALE 1 : 75 METERS



3 REAR ROOF ELEVATION
SCALE 1 : 75 METERS



2 LEFT SIDE ROOF ELEVATION
SCALE 1 : 75 METERS




4 RIGHT SIDE ROOF ELEVATION
SCALE 1 : 75 METERS

OWNER'S COPY

SHEET: A-203


LEGEND	LOCATION	AREA(SQM)
STONE	FRONT ELEVATION	34.45
	LEFT SIDE ELEVATION	59.75
	REAR ELEVATION	26.17
	RIGHT SIDE ELEVATION	49.23
	FOYER	66.96
	LIVING AREA	115.30
	GUEST ROOM	3.46
	OFFICE	3.46
	BOYS ROOM	8.19
	GIRLS ROOM	8.19
	RETURNS (CEILING/WALLS)	9.17
	TOTAL	384.33



STONE/WOOD CLADDING

1 FRONT ELEVATION

SCALE 1 : 100 METERS



cut of stones to align with the window mullions.
refer to window supplier's shop drawings.
stone supplier to measure on site.

STONE/WOOD CLADDING


2 LEFT SIDE ELEVATION

SCALE 1 : 100 METERS

OWNER'S COPY

SHEET: A-204


LEGEND	LOCATION	AREA(SQM)
STONE	FRONT ELEVATION	34.45
	LEFT SIDE ELEVATION	59.75
	REAR ELEVATION	26.17
	RIGHT SIDE ELEVATION	49.23
	FOYER	66.96
	LIVING AREA	115.30
	GUEST ROOM	3.46
	OFFICE	3.46
	BOYS ROOM	8.19
	GIRLS ROOM	8.19
	RETURNS (CEILING/WALLS)	9.17
	TOTAL	384.33



STONE/WOOD CLADDING

1 REAR ELEVATION

SCALE 1 : 100 METERS




STONE/WOOD CLADDING

2 RIGHT SIDE ELEVATION


SCALE 1 : 100 METERS

OWNER'S COPY

SHEET: A-205



2 KEYPLAN
SCALE 1 : 250 METERS




1 FRONT PERIMETER WALL ELEVATION
SCALE 1 : 125 METERS

OWNER'S COPY


SHEET: A-206


LOCATION
FRONT ELEVATION
WOOD PANELS USED (QTY)
2
SERUHO (QTY)
2
SERUHO USED (QTY)
0
TOTAL BOARDS
38





1 FRONT ELEVATION

SCALE 1 : 100 METERS










2 WOOD CUTTING LAYOUT

SCALE 1 : 30 METERS

OWNER'S COPY


SHEET: A-207

LOCATION
LEFT SIDE ELEVATION
WOOD PANELS USED (QTY)
8
SERUHO (QTY)
6
SERUHO USED (QTY)
1
TOTAL BOARDS
38



1 LEFT SIDE ELEVATION

SCALE 1 : 100 METERS




2 WOOD CUTTING LAYOUT

SCALE 1 : 30 METERS


OWNER'S COPY

SHEET: A-208

LOCATION
REAR ELEVATION
WOOD PANELS USED (QTY)
12
SERUHO (QTY)
3
SERUHO USED (QTY)
2
TOTAL BOARDS
38




PARKLEX WOOD PANEL SIZE




1 REAR ELEVATION


SCALE 1 : 100 METERS




#1 SERUHO




#2 SERUHO




#1 SERUHO




#2 SERUHO




#3 SERUHO




3 BOARDS (USED)



3 BOARDS (USED)



4 BOARDS & 2 SERUHO



2 BOARDS


2 WOOD CUTTING LAYOUT

SCALE 1 : 30 METERS

OWNER'S COPY


SHEET: A-209


LOCATION
RIGHT SIDE ELEVATION
WOOD PANELS USED (QTY)
15
SERUHO (QTY)
6
SERUHO USED (QTY)
7
TOTAL BOARDS
38





1 RIGHT SIDE ELEVATION


SCALE 1 : 100 METERS

































2 WOOD CUTTING LAYOUT

SCALE 1 : 40 METERS


OWNER'S COPY

SHEET: A-210




1 SERVICE KITCHEN 1

SCALE 1 : 25 METERS




2 SERVICE KITCHEN 2

SCALE 1 : 25 METERS



3 SERVICE KITCHEN 3

SCALE 1 : 25 METERS




4 SERVICE KITCHEN 4

SCALE 1 : 25 METERS


OWNER'S COPY

SHEET: A-300



1 CROSS SECTION 1

SCALE 1 : 100 METERS




2 CROSS SECTION 2

SCALE 1 : 100 METERS


OWNER'S COPY

SHEET: A-301



1 LONGITUDINAL SECTION 1

SCALE 1 : 100 METERS




2 LONGITUDINAL SECTION 2

SCALE 1 : 100 METERS

OWNER'S COPY

SHEET: A-400




1 ARCHITECTURAL BAY SECTION 1

SCALE 1 : 35 METERS

OWNER'S COPY

SHEET: A-401




1 ARCHITECTURAL BAY SECTION 2

SCALE 1 : 35 METERS

OWNER'S COPY


SHEET: A-402



STAIRCASE


1 BLOW-UP PLAN

SCALE 1 : 25 METERS




5 ELEVATION

SCALE 1 : 20 METERS




4 SECTION 2

SCALE 1 : 20 METERS




2 SECTION 1

SCALE 1 : 20 METERS



3 SECTION 3

SCALE 1 : 20 METERS




6 DETAIL 1

SCALE 1 : 10 METERS

OWNER'S COPY


SHEET: A-403

LEGEND	LOCATION	AREA (SQM)
WOOD	FRONT CANOPY (FASCIA)	1.16
	TOTAL	1.16




FRONT CANOPY


1 BLOW-UP PLAN
SCALE 1 : 25 METERS




2 SECTION 1
SCALE 1 : 20 METERS



3 SECTION 2
SCALE 1 : 20 METERS




4 DETAIL 1
SCALE 1 : 5 METERS



5 DETAIL 2
SCALE 1 : 5 METERS

OWNER'S COPY

SHEET: A-404



1 BLOW-UP PLAN

SIDE CANOPY


SCALE 1 : 25 METERS

LEGEND	
WOOD	
WOOD SLATS (QTY)	**SIZE (WxHxL) MM**
28	188W x 14H x 687
28	188W x 14H x 729
150	188W x 14H x 742
TOTAL : 206	




2 SECTION 1

SCALE 1 : 20 METERS




3 SECTION 2

SCALE 1 : 20 METERS




4 DETAIL 1

SCALE 1 : 5 METERS



6 DETAIL 3

SCALE 1 : 5 METERS




5 DETAIL 2


SCALE 1 : 5 METERS

OWNER'S COPY


SHEET: A-405




3 BLOW-UP PLAN
SCALE 1 : 50 METERS




4 GARAGE SECTION
SCALE 1 : 50 METERS



2 BLOW-UP PLAN
SCALE 1 : 50 METERS




5 DETAIL 1
SCALE 1 : 10 METERS



6 Detail 12
SCALE 1 : 10 METERS

OWNER'S COPY


SHEET: A-406



GUARDHOUSE

1 BLOW-UP PLAN


SCALE 1 : 25 METERS



GUARDHOUSE

2 SECTION 1


SCALE 1 : 30 METERS



GUARDHOUSE

3 SECTION 2

SCALE 1 : 30 METERS



GUARDHOUSE

4 LEFT SIDE ELEVATION

SCALE 1 : 30 METERS


OWNER'S COPY

SHEET: A-407

OWNER'S COPY


SHEET: A-408

LEGEND	LOCATION	AREA(SQM)
	FRONT ELEVATION	34.45
	LEFT SIDE ELEVATION	59.75
	REAR ELEVATION	26.17
	RIGHT SIDE ELEVATION	49.23
	FOYER	66.96
STONE	LIVING AREA	115.30
	GUEST ROOM	3.46
	OFFICE	3.46
	BOYS ROOM	8.19
	GIRLS ROOM	8.19
	RETURNS (CEILING/WALLS)	9.17
	TOTAL	384.33



2 GROUND FLOOR KEYPLAN

SCALE 1 : 300 METERS




1 For Stone/Wood FOYER 3

SCALE 1 : 30 METERS

OWNER'S COPY


SHEET: A-409

LEGEND	LOCATION	AREA(SQM)
	FRONT ELEVATION	34.45
	LEFT SIDE ELEVATION	59.75
	REAR ELEVATION	26.17
	RIGHT SIDE ELEVATION	49.23
	FOYER	66.96
STONE	LIVING AREA	115.30
	GUEST ROOM	3.46
	OFFICE	3.46
	BOYS ROOM	8.19
	GIRLS ROOM	8.19
	RETURNS (CEILING/WALLS)	9.17
	TOTAL	384.33



2 GROUND FLOOR KEYPLAN

SCALE 1 : 300 METERS




1 For Stone/Wood FOYER 4

SCALE 1 : 30 METERS


OWNER'S COPY

SHEET: A-410

LEGEND	LOCATION	AREA(SQM)
	FRONT ELEVATION	34.45
	LEFT SIDE ELEVATION	59.75
	REAR ELEVATION	26.17
	RIGHT SIDE ELEVATION	49.23
	FOYER	66.96
STONE	LIVING AREA	115.30
	GUEST ROOM	3.46
	OFFICE	3.46
	BOYS ROOM	8.19
	GIRLS ROOM	8.19
	RETURNS (CEILING/WALLS)	9.17
	TOTAL	384.33



4 GROUND FLOOR KEYPLAN
SCALE 1 : 300 METERS




1 For Stone/Wood GUEST ROOM 1
SCALE 1 : 30 METERS



3 For Stone/Wood GUEST ROOM 3
SCALE 1 : 30 METERS

OWNER'S COPY

SHEET: A-411




2 GROUND FLOOR KEYPLAN

SCALE 1 : 300 METERS

LEGEND	LOCATION	AREA(SQM)
STONE	FRONT ELEVATION	34.45
	LEFT SIDE ELEVATION	59.75
	REAR ELEVATION	26.17
	RIGHT SIDE ELEVATION	49.23
	FOYER	66.96
	LIVING AREA	115.30
	GUEST ROOM	3.46
	OFFICE	3.46
	BOYS ROOM	8.19
	GIRLS ROOM	8.19
	RETURNS (CEILING/WALLS)	9.17
	TOTAL	384.33

LEGEND	LOCATION	WOOD PANELS (QTY)	AREA(SQM)
WOOD	FRONT ELEVATION		3.90
	REAR ELEVATION		29.46
	RIGHT SIDE ELEVATION		41.99
	LEFT SIDE ELEVATION		17.53
	LIVING AREA (EXTERIOR)		4.87
	TOTAL		97.75




1 For Stone/Wood LIVING 2

SCALE 1 : 30 METERS

OWNER'S COPY

SHEET: A-412




2 GROUND FLOOR KEYPLAN

SCALE 1 : 300 METERS

LEGEND	LOCATION	AREA(SQM)
STONE	FRONT ELEVATION	34.45
	LEFT SIDE ELEVATION	59.75
	REAR ELEVATION	26.17
	RIGHT SIDE ELEVATION	49.23
	FOYER	66.96
	LIVING AREA	115.30
	GUEST ROOM	3.46
	OFFICE	3.46
	BOYS ROOM	8.19
	GIRLS ROOM	8.19
	RETURNS (CEILING/WALLS)	9.17
	TOTAL	384.33

LEGEND	LOCATION	WOOD PANELS (QTY)	AREA(SQM)
WOOD	FRONT ELEVATION		3.90
	REAR ELEVATION		29.46
	RIGHT SIDE ELEVATION		41.99
	LEFT SIDE ELEVATION		17.53
	LIVING AREA (EXTERIOR)		4.87
	TOTAL		97.75




1 For Stone/Wood LIVING 3

SCALE 1 : 30 METERS


OWNER'S COPY

SHEET: A-413


LEGEND	LOCATION	AREA(SQM)
	FRONT ELEVATION	34.45
	LEFT SIDE ELEVATION	59.75
	REAR ELEVATION	26.17
	RIGHT SIDE ELEVATION	49.23
	FOYER	66.96
STONE	LIVING AREA	115.30
	GUEST ROOM	3.46
	OFFICE	3.46
	BOYS ROOM	8.19
	GIRLS ROOM	8.19
	RETURNS (CEILING/WALLS)	9.17
	TOTAL	384.33



4 GROUND FLOOR KEYPLAN
SCALE 1 : 300 METERS




1 For Stone/Wood OFFICE 3
SCALE 1 : 30 METERS



2 For Stone/Wood OFFICE 4
SCALE 1 : 30 METERS


OWNER'S COPY

SHEET: A-414




5 SECOND FLOOR KEYPLAN
SCALE 1 : 300 METERS


LEGEND	LOCATION	AREA(SQM)
STONE	FRONT ELEVATION	34.45
	LEFT SIDE ELEVATION	59.75
	REAR ELEVATION	26.17
	RIGHT SIDE ELEVATION	49.23
	FOYER	66.96
	LIVING AREA	115.30
	GUEST ROOM	3.46
	OFFICE	3.46
	BOYS ROOM	8.19
	GIRLS ROOM	8.19
	RETURNS (CEILING/WALLS)	9.17
	TOTAL	384.33




1 For Stone/Wood ROOM 3 BOYS 1
SCALE 1 : 30 METERS



3 For Stone/Wood ROOM 4 GIRLS 2
SCALE 1 : 30 METERS




2 For Stone/Wood ROOM 3 BOYS 3
SCALE 1 : 30 METERS



4 For Stone/Wood ROOM 4 GIRLS 3
SCALE 1 : 30 METERS

OWNER'S COPY


SHEET: A-415



LOCATION
LIVING ROOM (EXTERIOR RIGHT SIDE)
WOOD PANELS USED (QTY)
1
SERUHO (QTY)
1
SERUHO USED (QTY)
0
TOTAL BOARDS
38

1 For Stone/Wood LIVING 2

SCALE 1 : 30 METERS




2 WOOD CUTTING LAYOUT

SCALE 1 : 30 METERS

OWNER'S COPY


SHEET: A-416


LOCATION
LIVING ROOM (EXTERIOR LEFT SIDE)
WOOD PANELS USED (QTY)
0
SERUHO (QTY)
0
SERUHO USED (QTY)
3
TOTAL BOARDS
38




1 For Stone/Wood LIVING 3

SCALE 1 : 30 METERS






PARKLEX WOOD PANEL SIZE



3 SERUHO




2 WOOD CUTTING LAYOUT


SCALE 1 : 30 METERS

OWNER'S COPY


SHEET: A-417



1 BLOW-UP PLAN
SCALE 1 : 25 METERS



3 ELEVATION
SCALE 1 : 20 METERS



2 SECTION
SCALE 1 : 20 METERS

OWNER'S COPY


SHEET: A-418

GENERAL NOTES FOR CASEWORKS:


1. VERIFY ALL CONVENIENCE OUTLET/SWITCHING MOUNTING HEIGHT WITH ARCHITECT
2. VERIFY LIGHTING MOUNTING LOCATION WITH ARCHITECT









2 BLOW-UP PLAN
SCALE 1 : 25 METERS



3 ELEVATION
SCALE 1 : 20 METERS



4 SECTION 1
SCALE 1 : 20 METERS



5 SECTION 2
SCALE 1 : 20 METERS

OWNER'S COPY


SHEET: A-419






GENERAL NOTES FOR CASEWORKS:


1. VERIFY ALL CONVENIENCE OUTLET/SWITCHING MOUNTING HEIGHT WITH ARCHITECT
2. VERIFY LIGHTING MOUNTING LOCATION WITH ARCHITECT



2 BLOW-UP PLAN
SCALE 1 : 25 METERS



4 ELEVATION
SCALE 1 : 20 METERS



5 SECTION
SCALE 1 : 20 METERS

OWNER'S COPY


SHEET: A-420






GENERAL NOTES FOR CASEWORKS:


1. VERIFY ALL CONVENIENCE OUTLET/SWITCHING MOUNTING HEIGHT WITH ARCHITECT
2. VERIFY LIGHTING MOUNTING LOCATION WITH ARCHITECT



2 BLOW-UP PLAN
SCALE 1 : 25 METERS



1 ELEVATION
SCALE 1 : 20 METERS




3 SECTION
SCALE 1 : 20 METERS

OWNER'S COPY


SHEET: A-421

GENERAL NOTES FOR CASEWORKS:


1. VERIFY ALL CONVENIENCE OUTLET/SWITCHING MOUNTING HEIGHT WITH ARCHITECT
2. VERIFY LIGHTING MOUNTING LOCATION WITH ARCHITECT








2 BLOW-UP PLAN
SCALE 1 : 25 METERS




3 ELEVATION
SCALE 1 : 20 METERS

NOTE:
FOR PROVISION ONLY; OUTLETS INTERGRATED WITH WALL PANEL; VERIFY WITH SUPPLIER



4 SECTION 1
SCALE 1 : 20 METERS




5 SECTION 2
SCALE 1 : 20 METERS

OWNER'S COPY


SHEET: A-422








1 BLOW-UP PLAN
SCALE 1 : 25 METERS



2 ELEVATION
SCALE 1 : 20 METERS



3 SECTION
SCALE 1 : 20 METERS

OWNER'S COPY


SHEET: A-423

GENERAL NOTES FOR CASEWORKS:


1. VERIFY ALL CONVENIENCE OUTLET/SWITCHING MOUNTING HEIGHT WITH ARCHITECT
2. VERIFY LIGHTING MOUNTING LOCATION WITH ARCHITECT








2 BLOW-UP PLAN
SCALE 1 : 25 METERS



3 ELEVATION
SCALE 1 : 20 METERS




4 SECTION
SCALE 1 : 20 METERS


OWNER'S COPY

SHEET: A-424


GENERAL NOTES FOR CASEWORKS:
1. VERIFY ALL CONVENIENCE OUTLET/SWITCHING MOUNTING HEIGHT WITH ARCHITECT
2. VERIFY LIGHTING MOUNTING LOCATION WITH ARCHITECT








2 BLOW-UP PLAN
SCALE 1 : 25 METERS



3 ELEVATION
SCALE 1 : 20 METERS



4 SECTION
SCALE 1 : 20 METERS


OWNER'S COPY

SHEET: A-425


GENERAL NOTES FOR CASEWORKS:
1. VERIFY ALL CONVENIENCE OUTLET/SWITCHING MOUNTING HEIGHT WITH ARCHITECT
2. VERIFY LIGHTING MOUNTING LOCATION WITH ARCHITECT








2 BLOW-UP PLAN
SCALE 1 : 25 METERS



3 ELEVATION
SCALE 1 : 20 METERS



4 SECTION
SCALE 1 : 20 METERS

OWNER'S COPY

SHEET: A-426






OWNER'S COPY

SHEET: A-426A

GENERAL NOTES FOR CASEWORKS:


1. VERIFY ALL CONVENIENCE OUTLET/SWITCHING MOUNTING HEIGHT WITH ARCHITECT
2. VERIFY LIGHTING MOUNTING LOCATION WITH ARCHITECT



TYPICAL ROOM 3 & 4 BUILT-IN

2 BLOW-UP PLAN


SCALE 1 : 25 METERS



TYPICAL ROOM 3 & 4 BUILT-IN

3 ELEVATION


SCALE 1 : 20 METERS



TYPICAL ROOM 3 & 4 BUILT-IN

4 SECTION 1

SCALE 1 : 20 METERS



TYPICAL ROOM 3 & 4 BUILT-IN


5 SECTION 2

SCALE 1 : 20 METERS


OWNER'S COPY

SHEET: A-427


GENERAL NOTES FOR CASEWORKS:
1. VERIFY ALL CONVENIENCE OUTLET/SWITCHING MOUNTING HEIGHT WITH ARCHITECT
2. VERIFY LIGHTING MOUNTING LOCATION WITH ARCHITECT








2 BLOW-UP PLAN
SCALE 1 : 25 METERS



3 ELEVATION
SCALE 1 : 20 METERS




4 SECTION
SCALE 1 : 20 METERS

OWNER'S COPY

SHEET: A-428

GENERAL NOTES FOR CASEWORKS:


1. VERIFY ALL CONVENIENCE OUTLET/SWITCHING MOUNTING HEIGHT WITH ARCHITECT
2. VERIFY LIGHTING MOUNTING LOCATION WITH ARCHITECT








1 BLOW-UP PLAN
SCALE 1 : 25 METERS



2 ELEVATION
SCALE 1 : 20 METERS




3 SECTION
SCALE 1 : 20 METERS

OWNER'S COPY

SHEET: A-429









GENERAL NOTES FOR CASEWORKS:

1. VERIFY ALL CONVENIENCE OUTLET/SWITCHING MOUNTING HEIGHT WITH ARCHITECT
2. VERIFY LIGHTING MOUNTING LOCATION WITH ARCHITECT

2 BLOW-UP PLAN
SCALE 1 : 25 METERS



3 ELEVATION
SCALE 1 : 20 METERS




NOTE:
FOR PROVISION ONLY; OUTLETS INTERGRATED WITH WALL PANEL; VERIFY WITH SUPPLIER

4 SECTION
SCALE 1 : 20 METERS

OWNER'S COPY


SHEET: A-430






GENERAL NOTES FOR CASEWORKS:

1. VERIFY ALL CONVENIENCE OUTLET/SWITCHING MOUNTING HEIGHT WITH ARCHITECT
2. VERIFY LIGHTING MOUNTING LOCATION WITH ARCHITECT




1 BLOW-UP PLAN

SCALE 1 : 25 METERS



2 ELEVATION

SCALE 1 : 20 METERS



3 SECTION

SCALE 1 : 20 METERS


OWNER'S COPY

SHEET: A-431


GENERAL NOTES FOR CASEWORKS:
1. VERIFY ALL CONVENIENCE OUTLET/SWITCHING MOUNTING HEIGHT WITH ARCHITECT
2. VERIFY LIGHTING MOUNTING LOCATION WITH ARCHITECT








1 BLOW-UP PLAN
SCALE 1 : 25 METERS



2 ELEVATION
SCALE 1 : 20 METERS



3 SECTION
SCALE 1 : 20 METERS

OWNER'S COPY


SHEET: A-432

GENERAL NOTES FOR CASEWORKS:


1. VERIFY ALL CONVENIENCE OUTLET/SWITCHING MOUNTING HEIGHT WITH ARCHITECT
2. VERIFY LIGHTING MOUNTING LOCATION WITH ARCHITECT








1 BLOW-UP PLAN
SCALE 1 : 25 METERS



2 ELEVATION
SCALE 1 : 20 METERS




3 SECTION
SCALE 1 : 20 METERS

OWNER'S COPY


SHEET: A-433

GENERAL NOTES FOR CASEWORKS:


1. VERIFY ALL CONVENIENCE OUTLET/SWITCHING MOUNTING HEIGHT WITH ARCHITECT
2. VERIFY LIGHTING MOUNTING LOCATION WITH ARCHITECT








2 BLOW-UP PLAN
SCALE 1 : 25 METERS



3 ELEVATION
SCALE 1 : 20 METERS




4 SECTION
SCALE 1 : 20 METERS

OWNER'S COPY


SHEET: A-434







1 BLOW-UP PLAN
SCALE 1 : 25 METERS




2 ELEVATION
SCALE 1 : 20 METERS

OWNER'S COPY


SHEET: A-435






GENERAL NOTES FOR CASEWORKS:


1. VERIFY ALL CONVENIENCE OUTLET/SWITCHING MOUNTING HEIGHT WITH ARCHITECT
2. VERIFY LIGHTING MOUNTING LOCATION WITH ARCHITECT



1 BLOW-UP PLAN
SCALE 1 : 20 METERS



2 ELEVATION
SCALE 1 : 20 METERS




3 SECTION
SCALE 1 : 20 METERS


OWNER'S COPY


SHEET: A-436











1 BLOW-UP PLAN
SCALE 1 : 20 METERS

2 ELEVATION
SCALE 1 : 20 METERS


3 SECTION
SCALE 1 : 20 METERS

OWNER'S COPY


SHEET: A-437








1 BLOW-UP PLAN
SCALE 1 : 20 METERS




2 ELEVATION
SCALE 1 : 20 METERS





3 SECTION
SCALE 1 : 20 METERS


OWNER'S COPY


SHEET: A-438











1 BLOW-UP PLAN
SCALE 1 : 25 METERS


2 ELEVATION
SCALE 1 : 20 METERS


3 SECTION
SCALE 1 : 20 METERS

OWNER'S COPY


SHEET: A-439








1 BLOW-UP PLAN
SCALE 1 : 25 METERS



2 ELEVATION
SCALE 1 : 20 METERS




3 SECTION
SCALE 1 : 20 METERS

OWNER'S COPY


SHEET: A-440








1 BLOW-UP PLAN
SCALE 1 : 25 METERS



2 ELEVATION
SCALE 1 : 20 METERS




3 SECTION
SCALE 1 : 20 METERS

OWNER'S COPY


SHEET: A-441








1 BLOW-UP PLAN
SCALE 1 : 20 METERS




2 ELEVATION
SCALE 1 : 20 METERS




3 SECTION
SCALE 1 : 20 METERS


OWNER'S COPY


SHEET: A-442











1 BLOW-UP PLAN
SCALE 1 : 20 METERS

2 ELEVATION
SCALE 1 : 20 METERS


3 SECTION
SCALE 1 : 20 METERS

OWNER'S COPY


SHEET: A-443

GENERAL NOTES FOR CASEWORKS:


1. VERIFY ALL CONVENIENCE OUTLET/SWITCHING MOUNTING HEIGHT WITH ARCHITECT
2. VERIFY LIGHTING MOUNTING LOCATION WITH ARCHITECT



2 BLOW-UP PLAN
SCALE 1 : 20 METERS



1 ELEVATION 1
SCALE 1 : 20 METERS



3 ELEVATION 2
SCALE 1 : 20 METERS

OWNER'S COPY


SHEET: A-444






GENERAL NOTES FOR CASEWORKS:


1. VERIFY ALL CONVENIENCE OUTLET/SWITCHING MOUNTING HEIGHT WITH ARCHITECT
2. VERIFY LIGHTING MOUNTING LOCATION WITH ARCHITECT



1 BLOW-UP PLAN
SCALE 1 : 20 METERS



2 ELEVATION
SCALE 1 : 20 METERS



3 SECTION
SCALE 1 : 20 METERS

OWNER'S COPY


SHEET: A-445

GENERAL NOTES FOR CASEWORKS:


1. VERIFY ALL CONVENIENCE OUTLET/SWITCHING MOUNTING HEIGHT WITH ARCHITECT
2. VERIFY LIGHTING MOUNTING LOCATION WITH ARCHITECT








1 BLOW-UP PLAN
SCALE 1 : 25 METERS



2 ELEVATION
SCALE 1 : 20 METERS




3 SECTION
SCALE 1 : 20 METERS

OWNER'S COPY


SHEET: A-446

GENERAL NOTES FOR CASEWORKS:


1. VERIFY ALL CONVENIENCE OUTLET/SWITCHING MOUNTING HEIGHT WITH ARCHITECT
2. VERIFY LIGHTING MOUNTING LOCATION WITH ARCHITECT








2 BLOW-UP PLAN
SCALE 1 : 25 METERS



3 ELEVATION
SCALE 1 : 20 METERS




4 SECTION
SCALE 1 : 20 METERS

OWNER'S COPY


SHEET: A-447

GENERAL NOTES FOR CASEWORKS:


1. VERIFY ALL CONVENIENCE OUTLET/SWITCHING MOUNTING HEIGHT WITH ARCHITECT
2. VERIFY LIGHTING MOUNTING LOCATION WITH ARCHITECT








1 BLOW-UP PLAN
SCALE 1 : 25 METERS



2 ELEVATION
SCALE 1 : 20 METERS




3 SECTION
SCALE 1 : 20 METERS

OWNER'S COPY


SHEET: A-448

GENERAL NOTES FOR CASEWORKS:


1. VERIFY ALL CONVENIENCE OUTLET/SWITCHING MOUNTING HEIGHT WITH ARCHITECT
2. VERIFY LIGHTING MOUNTING LOCATION WITH ARCHITECT








2 BLOW-UP PLAN
SCALE 1 : 25 METERS



3 ELEVATION 1
SCALE 1 : 20 METERS




4 ELEVATION 2
SCALE 1 : 20 METERS


OWNER'S COPY


SHEET: A-449











1 BLOW-UP PLAN
SCALE 1 : 25 METERS


2 ELEVATION
SCALE 1 : 20 METERS

3 SECTION
SCALE 1 : 20 METERS


OWNER'S COPY

SHEET: A-450






1 BLOW-UP PLAN
SCALE 1 : 25 METERS



2 ELEVATION 1
SCALE 1 : 20 METERS




3 ELEVATION 2
SCALE 1 : 20 METERS


OWNER'S COPY

SHEET: A-451


GENERAL NOTES FOR CASEWORKS:
1. VERIFY ALL CONVENIENCE OUTLET/SWITCHING MOUNTING HEIGHT WITH ARCHITECT
2. VERIFY LIGHTING MOUNTING LOCATION WITH ARCHITECT








1 BLOW-UP PLAN
SCALE 1 : 25 METERS



2 ELEVATION
SCALE 1 : 20 METERS


NOTE:
FOR PROVISION ONLY; OUTLETS INTERGRATED WITH HEADBOARD; VERIFY WITH SUPPLIER




3 SECTION
SCALE 1 : 20 METERS

OWNER'S COPY


SHEET: A-452





1 BLOW-UP PLAN

SCALE 1 : 20 METERS




2 ELEVATION

SCALE 1 : 20 METERS


NOTE:
CONVENIENCE OUTLETS CENTERED TO CABINETS VERIFY DIMENSIONS WITH SUPPLIER

OWNER'S COPY

SHEET: ID-100


1
2
3
4
5
6
7
A
B
B'
B"
C
D
PROPERTY LINE
SECOND FLOOR LINE
SECOND FLOOR LINE
CONCEALED TRENCH DRAIN
CANOPY LINE ABOVE
ROOF LINE ABOVE
ROOF LINE ABOVE
CANOPY LINE ABOVE
GROUND FLOOR LINE
WATER CISTERN BELOW
1% SLOPE
8% SLOPE
CONCEALED TRENCH DRAIN
1% SLOPE
8% SLOPE
CANOPY LINE ABOVE
SEPTIC TANK BELOW
PROPERTY LINE
PROPERTY LINE
UP
UP
ID-2108
ID-2104
ID-207
ID-2134
ID-214
ID-206
ID-2013
ID-2014
ID-209
ID-215
A-507
ID-2129
A-548
A-548
A-548

SHEET: ID-101



1 SECOND FLOOR INTERIOR REFERENCE PLAN

SCALE 1 : 100 METERS

OWNER'S COPY


SHEET: ID-200

GENERAL NOTES FOR INTERIORS:


1. VERIFY ALL SWITCHING WITH REFLECTED CEILING PLANS
2. REFLECTED CEILING PLAN SWITCHING SHALL GENERALLY PREVAIL, CONSULT WITH ARCHITECT PRIOR TO WORK
3. VERIFY ALL DOOR DETAILS WITH VENDOR SHOP DRAWING
4. VERIFY ALL GLASS FENESTRATION WORKS WITH VENDOR SHOP DRAWING

SCHEDULE OF FINISHES


TAG	DESCRIPTION
WF-02	1200 X 1200 MM STONE TILES; OSM TO BE VERIFIED BY ARCHITECT
WF-03	600 X 600 MM GRAY HOMOGENOUS CERAMIC TILES; OSM
WF-04	200 X 200 MM PAVER TILES
WF-05	1200 X 2780 MM ITALIAN TILES (BEIGE); VERIFY COLOR WITH ARCHITECT WALL FINISHES
WF-06	EXTERIOR WOOD CLADDING
WF-07	HONED TRAVERTINE STONE
WF-08	INTERIOR WOOD CLADDING
WF-09	BLACK METAL SHEET; TO BE VERIFIED BY ARCHITECT
WF-10	WALL PAPER WALL
WF-12	LATEX MATTE WHITE PAINT
WF-13	600 X 600 MM GRAY STONE TILES; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-14	FABRIC PATTERNED WALLPAPERS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-18	BRONZE METAL STRIPS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-19	FABRIC WALL PANELS OVER WHITE PAINT
WF-20	WHITE MARBLE FINISH;




1 FOYER KEYPLAN
SCALE 1 : 50 METERS




2 FOYER 1
SCALE 1 : 30 METERS



3 FOYER 2
SCALE 1 : 30 METERS



4 FOYER 3
SCALE 1 : 30 METERS




5 FOYER 4
SCALE 1 : 30 METERS

NOTE:
VERIFY CONVENIENCE OUTLET MOUNTING HEIGHT WITH CASEWORK SHOP DRAWINGS FROM VENDOR

OWNER'S COPY

SHEET: ID-201A




GUEST ROOM
1 KEYPLAN
SCALE 1 : 50 METERS

GENERAL NOTES FOR INTERIORS:


1. VERIFY ALL SWITCHING WITH REFLECTED CEILING PLANS
2. REFLECTED CEILING PLAN SWITCHING SHALL GENERALLY PREVAIL, CONSULT WITH ARCHITECT PRIOR TO WORK
3. VERIFY ALL DOOR DETAILS WITH VENDOR SHOP DRAWING
4. VERIFY ALL GLASS FENESTRATION WORKS WITH VENDOR SHOP DRAWING

SCHEDULE OF FINISHES

TAG	DESCRIPTION
WF-02	1200 X 1200 MM STONE TILES; OSM TO BE VERIFIED BY ARCHITECT
WF-03	600 X 600 MM GRAY HOMOGENOUS CERAMIC TILES; OSM
WF-04	200 X 200 MM PAVER TILES
WF-05	1200 X 2780 MM ITALIAN TILES (BEIGE); VERIFY COLOR WITH ARCHITECT WALL FINISHES
WF-06	EXTERIOR WOOD CLADDING
WF-07	HONED TRAVERTINE STONE
WF-08	INTERIOR WOOD CLADDING
WF-09	BLACK METAL SHEET; TO BE VERIFIED BY ARCHITECT
WF-10	WALL PAPER WALL
WF-12	LATEX MATTE WHITE PAINT
WF-13	600 X 600 MM GRAY STONE TILES; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-14	FABRIC PATTERNED WALLPAPERS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-18	BRONZE METAL STRIPS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-19	FABRIC WALL PANELS OVER WHITE PAINT
WF-20	WHITE MARBLE FINISH;



2 GUEST ROOM 1
SCALE 1 : 30 METERS




3 GUEST ROOM 4
SCALE 1 : 30 METERS



NOTE:
FOR PROVISION ONLY; OUTLETS INTERGRATED WITH WALL PANEL; VERIFY WITH SUPPLIER


4 GUEST ROOM 3
SCALE 1 : 30 METERS



5 GUEST ROOM 2
SCALE 1 : 30 METERS

OWNER'S COPY

SHEET: ID-201B



GUEST T&B

1 KEYPLAN


SCALE 1 : 50 METERS

GENERAL NOTES FOR INTERIORS:

1. VERIFY ALL SWITCHING WITH REFLECTED CEILING PLANS
2. REFLECTED CEILING PLAN SWITCHING SHALL GENERALLY PREVAIL, CONSULT WITH ARCHITECT PRIOR TO WORK
3. VERIFY ALL DOOR DETAILS WITH VENDOR SHOP DRAWING
4. VERIFY ALL GLASS FENESTRATION WORKS WITH VENDOR SHOP DRAWING


SCHEDULE OF FINISHES

TAG	DESCRIPTION
WF-02	1200 X 1200 MM STONE TILES; OSM TO BE VERIFIED BY ARCHITECT
WF-03	600 X 600 MM GRAY HOMOGENOUS CERAMIC TILES; OSM
WF-04	200 X 200 MM PAVER TILES
WF-05	1200 X 2780 MM ITALIAN TILES (BEIGE); VERIFY COLOR WITH ARCHITECT WALL FINISHES
WF-06	EXTERIOR WOOD CLADDING
WF-07	HONED TRAVERTINE STONE
WF-08	INTERIOR WOOD CLADDING
WF-09	BLACK METAL SHEET; TO BE VERIFIED BY ARCHITECT
WF-10	WALL PAPER WALL
WF-12	LATEX MATTE WHITE PAINT
WF-13	600 X 600 MM GRAY STONE TILES; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-14	FABRIC PATTERNED WALLPAPERS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-18	BRONZE METAL STRIPS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-19	FABRIC WALL PANELS OVER WHITE PAINT
WF-20	WHITE MARBLE FINISH;



2 GUEST T&B 1


SCALE 1 : 30 METERS



3 GUEST T&B 2


SCALE 1 : 30 METERS

NOTE:
VERIFY THE SHOWER ENCLOSURE SUPPLIER & ALIGN DIVIDER TO WINDOW'S MULLION



4 GUEST T&B 3

SCALE 1 : 30 METERS



5 GUEST T&B 4


SCALE 1 : 30 METERS

NOTE:
VERIFY THE TOILET SPECIFICATION FOR THE CONVENIENCE OUTLET

NOTE:
VERIFY CONVENIENCE OUTLET MOUNTING HEIGHT WITH CASEWORK SHOP DRAWINGS FROM VENDOR

OWNER'S COPY

SHEET: ID-201C




1 GUEST T&B KEYPLAN
SCALE 1 : 50 METERS

GENERAL NOTES FOR INTERIORS:

1. VERIFY ALL SWITCHING WITH REFLECTED CEILING PLANS
2. REFLECTED CEILING PLAN SWITCHING SHALL GENERALLY PREVAIL, CONSULT WITH ARCHITECT PRIOR TO WORK
3. VERIFY ALL DOOR DETAILS WITH VENDOR SHOP DRAWING
4. VERIFY ALL GLASS FENESTRATION WORKS WITH VENDOR SHOP DRAWING


SCHEDULE OF FINISHES

TAG	DESCRIPTION
WF-02	1200 X 1200 MM STONE TILES; OSM TO BE VERIFIED BY ARCHITECT
WF-03	600 X 600 MM GRAY HOMOGENOUS CERAMIC TILES; OSM
WF-04	200 X 200 MM PAVER TILES
WF-05	1200 X 2780 MM ITALIAN TILES (BEIGE); VERIFY COLOR WITH ARCHITECT WALL FINISHES
WF-06	EXTERIOR WOOD CLADDING
WF-07	HONED TRAVERTINE STONE
WF-08	INTERIOR WOOD CLADDING
WF-09	BLACK METAL SHEET; TO BE VERIFIED BY ARCHITECT
WF-10	WALL PAPER WALL
WF-12	LATEX MATTE WHITE PAINT
WF-13	600 X 600 MM GRAY STONE TILES; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-14	FABRIC PATTERNED WALLPAPERS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-18	BRONZE METAL STRIPS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-19	FABRIC WALL PANELS OVER WHITE PAINT
WF-20	WHITE MARBLE FINISH;



6 GUEST T&B 5
SCALE 1 : 30 METERS


NOTE:
VERIFY THE SHOWER ENCLOSURE SUPPLIER & ALIGN DIVIDER TO WINDOW'S MULLION



8 GUEST T&B 7
SCALE 1 : 30 METERS


NOTE:
- THIS VIEW IS FACING THE TOILET FROM THE SHOWER, TAKE NOTE OF FLOOR DROP & CEILING HEIGHT
- VERIFY THE SHOWER ENCLOSURE SUPPLIER

& ALIGN DIVIDER TO WINDOW'S MULLION



7 GUEST T&B 6
SCALE 1 : 30 METERS

NOTE:
VERIFY THE SHOWER ENCLOSURE SUPPLIER & ALIGN DIVIDER TO WINDOW'S MULLION



9 GUEST T&B 8
SCALE 1 : 30 METERS


NOTE:
- THIS VIEW IS FACING THE SHOWER FROM THE TOILET VERIFY THE SHOWER ENCLOSURE SUPPLIER

& ALIGN DIVIDER TO WINDOW'S MULLION

NOTE:
VERIFY CONVENIENCE OUTLET MOUNTING HEIGHT WITH CASEWORK SHOP DRAWINGS FROM VENDOR

OWNER'S COPY

SHEET: ID-202



OFFICE

1 KEYPLAN


SCALE 1 : 50 METERS

GENERAL NOTES FOR INTERIORS:

1. VERIFY ALL SWITCHING WITH REFLECTED CEILING PLANS
2. REFLECTED CEILING PLAN SWITCHING SHALL GENERALLY PREVAIL, CONSULT WITH ARCHITECT PRIOR TO WORK
3. VERIFY ALL DOOR DETAILS WITH VENDOR SHOP DRAWING
4. VERIFY ALL GLASS FENESTRATION WORKS WITH VENDOR SHOP DRAWING


SCHEDULE OF FINISHES

TAG	DESCRIPTION
WF-02	1200 X 1200 MM STONE TILES; OSM TO BE VERIFIED BY ARCHITECT
WF-03	600 X 600 MM GRAY HOMOGENOUS CERAMIC TILES; OSM
WF-04	200 X 200 MM PAVER TILES
WF-05	1200 X 2780 MM ITALIAN TILES (BEIGE); VERIFY COLOR WITH ARCHITECT WALL FINISHES
WF-06	EXTERIOR WOOD CLADDING
WF-07	HONED TRAVERTINE STONE
WF-08	INTERIOR WOOD CLADDING
WF-09	BLACK METAL SHEET; TO BE VERIFIED BY ARCHITECT
WF-10	WALL PAPER WALL
WF-12	LATEX MATTE WHITE PAINT
WF-13	600 X 600 MM GRAY STONE TILES; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-14	FABRIC PATTERNED WALLPAPERS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-18	BRONZE METAL STRIPS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-19	FABRIC WALL PANELS OVER WHITE PAINT
WF-20	WHITE MARBLE FINISH;




2 OFFICE 1

SCALE 1 : 30 METERS




3 OFFICE 2

SCALE 1 : 30 METERS



4 OFFICE 3

SCALE 1 : 30 METERS




5 OFFICE 4

SCALE 1 : 30 METERS

NOTE:
VERIFY CONVENIENCE OUTLET MOUNTING HEIGHT WITH CASEWORK SHOP DRAWINGS FROM VENDOR

OWNER'S COPY

SHEET: ID-203A




1 LIVING AREA KEYPLAN
SCALE 1 : 75 METERS

GENERAL NOTES FOR INTERIORS:

1. VERIFY ALL SWITCHING WITH REFLECTED CEILING PLANS
2. REFLECTED CEILING PLAN SWITCHING SHALL GENERALLY PREVAIL, CONSULT WITH ARCHITECT PRIOR TO WORK
3. VERIFY ALL DOOR DETAILS WITH VENDOR SHOP DRAWING
4. VERIFY ALL GLASS FENESTRATION WORKS WITH VENDOR SHOP DRAWING

SCHEDULE OF FINISHES


TAG	DESCRIPTION
WF-02	1200 X 1200 MM STONE TILES; OSM TO BE VERIFIED BY ARCHITECT
WF-03	600 X 600 MM GRAY HOMOGENOUS CERAMIC TILES; OSM
WF-04	200 X 200 MM PAVER TILES
WF-05	1200 X 2780 MM ITALIAN TILES (BEIGE); VERIFY COLOR WITH ARCHITECT WALL FINISHES
WF-06	EXTERIOR WOOD CLADDING
WF-07	HONED TRAVERTINE STONE
WF-08	INTERIOR WOOD CLADDING
WF-09	BLACK METAL SHEET; TO BE VERIFIED BY ARCHITECT
WF-10	WALL PAPER WALL
WF-12	LATEX MATTE WHITE PAINT
WF-13	600 X 600 MM GRAY STONE TILES; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-14	FABRIC PATTERNED WALLPAPERS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-18	BRONZE METAL STRIPS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-19	FABRIC WALL PANELS OVER WHITE PAINT
WF-20	WHITE MARBLE FINISH;



2 LIVING AREA 1
SCALE 1 : 30 METERS

OWNER'S COPY

SHEET: ID-203B




1 LIVING AREA KEYPLAN
SCALE 1 : 75 METERS

GENERAL NOTES FOR INTERIORS:

1. VERIFY ALL SWITCHING WITH REFLECTED CEILING PLANS
2. REFLECTED CEILING PLAN SWITCHING SHALL GENERALLY PREVAIL, CONSULT WITH ARCHITECT PRIOR TO WORK
3. VERIFY ALL DOOR DETAILS WITH VENDOR SHOP DRAWING
4. VERIFY ALL GLASS FENESTRATION WORKS WITH VENDOR SHOP DRAWING

SCHEDULE OF FINISHES


TAG	DESCRIPTION
WF-02	1200 X 1200 MM STONE TILES; OSM TO BE VERIFIED BY ARCHITECT
WF-03	600 X 600 MM GRAY HOMOGENOUS CERAMIC TILES; OSM
WF-04	200 X 200 MM PAVER TILES
WF-05	1200 X 2780 MM ITALIAN TILES (BEIGE); VERIFY COLOR WITH ARCHITECT WALL FINISHES
WF-06	EXTERIOR WOOD CLADDING
WF-07	HONED TRAVERTINE STONE
WF-08	INTERIOR WOOD CLADDING
WF-09	BLACK METAL SHEET; TO BE VERIFIED BY ARCHITECT
WF-10	WALL PAPER WALL
WF-12	LATEX MATTE WHITE PAINT
WF-13	600 X 600 MM GRAY STONE TILES; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-14	FABRIC PATTERNED WALLPAPERS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-18	BRONZE METAL STRIPS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-19	FABRIC WALL PANELS OVER WHITE PAINT
WF-20	WHITE MARBLE FINISH;



3 LIVING AREA 2
SCALE 1 : 30 METERS

OWNER'S COPY

SHEET: ID-203C




LIVING AREA
1 KEYPLAN
SCALE 1 : 75 METERS

GENERAL NOTES FOR INTERIORS:

1. VERIFY ALL SWITCHING WITH REFLECTED CEILING PLANS
2. REFLECTED CEILING PLAN SWITCHING SHALL GENERALLY PREVAIL, CONSULT WITH ARCHITECT PRIOR TO WORK
3. VERIFY ALL DOOR DETAILS WITH VENDOR SHOP DRAWING
4. VERIFY ALL GLASS FENESTRATION WORKS WITH VENDOR SHOP DRAWING

SCHEDULE OF FINISHES

TAG	DESCRIPTION
WF-02	1200 X 1200 MM STONE TILES; OSM TO BE VERIFIED BY ARCHITECT
WF-03	600 X 600 MM GRAY HOMOGENOUS CERAMIC TILES; OSM
WF-04	200 X 200 MM PAVER TILES
WF-05	1200 X 2780 MM ITALIAN TILES (BEIGE); VERIFY COLOR WITH ARCHITECT WALL FINISHES
WF-06	EXTERIOR WOOD CLADDING
WF-07	HONED TRAVERTINE STONE
WF-08	INTERIOR WOOD CLADDING
WF-09	BLACK METAL SHEET; TO BE VERIFIED BY ARCHITECT
WF-10	WALL PAPER WALL
WF-12	LATEX MATTE WHITE PAINT
WF-13	600 X 600 MM GRAY STONE TILES; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-14	FABRIC PATTERNED WALLPAPERS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-18	BRONZE METAL STRIPS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-19	FABRIC WALL PANELS OVER WHITE PAINT
WF-20	WHITE MARBLE FINISH;




4 LIVING AREA 3
SCALE 1 : 30 METERS

INTERIOR WALL FINISH:
WALL REVEAL

NOTE:
VERIFY CONVENIENCE OUTLET MOUNTING HEIGHT WITH CASEWORK SHOP DRAWINGS FROM VENDOR

OWNER'S COPY

SHEET: ID-203D



LIVING AREA
1 KEYPLAN
SCALE 1 : 75 METERS

GENERAL NOTES FOR INTERIORS:

1. VERIFY ALL SWITCHING WITH REFLECTED CEILING PLANS
2. REFLECTED CEILING PLAN SWITCHING SHALL GENERALLY PREVAIL, CONSULT WITH ARCHITECT PRIOR TO WORK
3. VERIFY ALL DOOR DETAILS WITH VENDOR SHOP DRAWING
4. VERIFY ALL GLASS FENESTRATION WORKS WITH VENDOR SHOP DRAWING

SCHEDULE OF FINISHES


TAG	DESCRIPTION
WF-02	1200 X 1200 MM STONE TILES; OSM TO BE VERIFIED BY ARCHITECT
WF-03	600 X 600 MM GRAY HOMOGENOUS CERAMIC TILES; OSM
WF-04	200 X 200 MM PAVER TILES
WF-05	1200 X 2780 MM ITALIAN TILES (BEIGE); VERIFY COLOR WITH ARCHITECT WALL FINISHES
WF-06	EXTERIOR WOOD CLADDING
WF-07	HONED TRAVERTINE STONE
WF-08	INTERIOR WOOD CLADDING
WF-09	BLACK METAL SHEET; TO BE VERIFIED BY ARCHITECT
WF-10	WALL PAPER WALL
WF-12	LATEX MATTE WHITE PAINT
WF-13	600 X 600 MM GRAY STONE TILES; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-14	FABRIC PATTERNED WALLPAPERS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-18	BRONZE METAL STRIPS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-19	FABRIC WALL PANELS OVER WHITE PAINT
WF-20	WHITE MARBLE FINISH;



5 LIVING AREA 4
SCALE 1 : 30 METERS

OWNER'S COPY

SHEET: ID-204




1 KEYPLAN
SCALE 1 : 30 METERS

GENERAL NOTES FOR INTERIORS:

1. VERIFY ALL SWITCHING WITH REFLECTED CEILING PLANS
2. REFLECTED CEILING PLAN SWITCHING SHALL GENERALLY PREVAIL, CONSULT WITH ARCHITECT PRIOR TO WORK
3. VERIFY ALL DOOR DETAILS WITH VENDOR SHOP DRAWING
4. VERIFY ALL GLASS FENESTRATION WORKS WITH VENDOR SHOP DRAWING


SCHEDULE OF FINISHES

TAG	DESCRIPTION
WF-02	1200 X 1200 MM STONE TILES; OSM TO BE VERIFIED BY ARCHITECT
WF-03	600 X 600 MM GRAY HOMOGENOUS CERAMIC TILES; OSM
WF-04	200 X 200 MM PAVER TILES
WF-05	1200 X 2780 MM ITALIAN TILES (BEIGE); VERIFY COLOR WITH ARCHITECT WALL FINISHES
WF-06	EXTERIOR WOOD CLADDING
WF-07	HONED TRAVERTINE STONE
WF-08	INTERIOR WOOD CLADDING
WF-09	BLACK METAL SHEET; TO BE VERIFIED BY ARCHITECT
WF-10	WALL PAPER WALL
WF-12	LATEX MATTE WHITE PAINT
WF-13	600 X 600 MM GRAY STONE TILES; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-14	FABRIC PATTERNED WALLPAPERS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-18	BRONZE METAL STRIPS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-19	FABRIC WALL PANELS OVER WHITE PAINT
WF-20	WHITE MARBLE FINISH;




2 POWDER ROOM 1
SCALE 1 : 30 METERS


NOTE:
VERIFY THE TOILET SPECIFICATION FOR THE CONVENIENCE OUTLET



3 POWDER ROOM 2
SCALE 1 : 30 METERS



4 POWDER ROOM 3
SCALE 1 : 30 METERS




5 POWDER ROOM 4
SCALE 1 : 30 METERS

NOTE:
VERIFY CONVENIENCE OUTLET MOUNTING HEIGHT WITH CASEWORK SHOP DRAWINGS FROM VENDOR

OWNER'S COPY

SHEET: ID-205




1 ENTERTAINMENT ROOM KEYPLAN
SCALE 1 : 50 METERS

NOTE:
VERIFY CONVENIENCE OUTLET MOUNTING HEIGHT WITH CASEWORK SHOP DRAWINGS FROM VENDOR


GENERAL NOTES FOR INTERIORS:
1. VERIFY ALL SWITCHING WITH REFLECTED CEILING PLANS
2. REFLECTED CEILING PLAN SWITCHING SHALL GENERALLY PREVAIL, CONSULT WITH ARCHITECT PRIOR TO WORK
3. VERIFY ALL DOOR DETAILS WITH VENDOR SHOP DRAWING
4. VERIFY ALL GLASS FENESTRATION WORKS WITH VENDOR SHOP DRAWING

SCHEDULE OF FINISHES


TAG	DESCRIPTION
WF-02	1200 X 1200 MM STONE TILES; OSM TO BE VERIFIED BY ARCHITECT
WF-03	600 X 600 MM GRAY HOMOGENOUS CERAMIC TILES; OSM
WF-04	200 X 200 MM PAVER TILES
WF-05	1200 X 2780 MM ITALIAN TILES (BEIGE); VERIFY COLOR WITH ARCHITECT WALL FINISHES
WF-06	EXTERIOR WOOD CLADDING
WF-07	HONED TRAVERTINE STONE
WF-08	INTERIOR WOOD CLADDING
WF-09	BLACK METAL SHEET; TO BE VERIFIED BY ARCHITECT
WF-10	WALL PAPER WALL
WF-12	LATEX MATTE WHITE PAINT
WF-13	600 X 600 MM GRAY STONE TILES; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-14	FABRIC PATTERNED WALLPAPERS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-18	BRONZE METAL STRIPS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-19	FABRIC WALL PANELS OVER WHITE PAINT
WF-20	WHITE MARBLE FINISH;




2 ENTERTAINMENT ROOM 1
SCALE 1 : 30 METERS



3 ENTERTAINMENT ROOM 2
SCALE 1 : 30 METERS



4 ENTERTAINMENT ROOM 3
SCALE 1 : 30 METERS




5 ENTERTAINMENT ROOM 4
SCALE 1 : 30 METERS

OWNER'S COPY

SHEET: ID-206A

NOTE:
PROVSION FOR ISLAND OUTLET;
VERIFY WITH KITCHEN SUPPLIER




BUILD UP WALL C/O CONTRACTOR.
FINAL MEASUREMENT OF BUILD UP WALL TO BE FINALIZED UPON COMPLETION OF MB'S ACTUAL SITE MARKINGS TO ENSURE ACCURACY

1 SHOW KITCHEN KEYPLAN
SCALE 1 : 75 METERS


GENERAL NOTES FOR INTERIORS:
1. VERIFY ALL SWITCHING WITH REFLECTED CEILING PLANS
2. REFLECTED CEILING PLAN SWITCHING SHALL GENERALLY PREVAIL, CONSULT WITH ARCHITECT PRIOR TO WORK
3. VERIFY ALL DOOR DETAILS WITH VENDOR SHOP DRAWING
4. VERIFY ALL GLASS FENESTRATION WORKS WITH VENDOR SHOP DRAWING

SCHEDULE OF FINISHES

TAG	DESCRIPTION
WF-02	1200 X 1200 MM STONE TILES; OSM TO BE VERIFIED BY ARCHITECT
WF-03	600 X 600 MM GRAY HOMOGENOUS CERAMIC TILES; OSM
WF-04	200 X 200 MM PAVER TILES
WF-05	1200 X 2780 MM ITALIAN TILES (BEIGE); VERIFY COLOR WITH ARCHITECT WALL FINISHES
WF-06	EXTERIOR WOOD CLADDING
WF-07	HONED TRAVERTINE STONE
WF-08	INTERIOR WOOD CLADDING
WF-09	BLACK METAL SHEET; TO BE VERIFIED BY ARCHITECT
WF-10	WALL PAPER WALL
WF-12	LATEX MATTE WHITE PAINT
WF-13	600 X 600 MM GRAY STONE TILES; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-14	FABRIC PATTERNED WALLPAPERS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-18	BRONZE METAL STRIPS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-19	FABRIC WALL PANELS OVER WHITE PAINT
WF-20	WHITE MARBLE FINISH;



2 SHOW KITCHEN 1
SCALE 1 : 30 METERS




3 SHOW KITCHEN 2
SCALE 1 : 30 METERS

NOTE:
VERIFY CONVENIENCE OUTLET MOUNTING HEIGHT WITH CASEWORK SHOP DRAWINGS FROM VENDOR

OWNER'S COPY

SHEET: ID-206B



NOTE:
PROVSION FOR ISLAND OUTLET;
VERIFY WITH KITCHEN SUPPLIER


BUILD UP WALL C/O CONTRACTOR.
FINAL MEASUREMENT OF BUILD UP WALL TO BE FINALIZED UPON COMPLETION OF MB'S ACTUAL SITE MARKINGS TO ENSURE ACCURACY

1 SHOW KITCHEN KEYPLAN
SCALE 1 : 75 METERS

GENERAL NOTES FOR INTERIORS:
1. VERIFY ALL SWITCHING WITH REFLECTED CEILING PLANS
2. REFLECTED CEILING PLAN SWITCHING SHALL GENERALLY PREVAIL, CONSULT WITH ARCHITECT PRIOR TO WORK
3. VERIFY ALL DOOR DETAILS WITH VENDOR SHOP DRAWING
4. VERIFY ALL GLASS FENESTRATION WORKS WITH VENDOR SHOP DRAWING


SCHEDULE OF FINISHES

TAG	DESCRIPTION
WF-02	1200 X 1200 MM STONE TILES; OSM TO BE VERIFIED BY ARCHITECT
WF-03	600 X 600 MM GRAY HOMOGENOUS CERAMIC TILES; OSM
WF-04	200 X 200 MM PAVER TILES
WF-05	1200 X 2780 MM ITALIAN TILES (BEIGE); VERIFY COLOR WITH ARCHITECT WALL FINISHES
WF-06	EXTERIOR WOOD CLADDING
WF-07	HONED TRAVERTINE STONE
WF-08	INTERIOR WOOD CLADDING
WF-09	BLACK METAL SHEET; TO BE VERIFIED BY ARCHITECT
WF-10	WALL PAPER WALL
WF-12	LATEX MATTE WHITE PAINT
WF-13	600 X 600 MM GRAY STONE TILES; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-14	FABRIC PATTERNED WALLPAPERS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-18	BRONZE METAL STRIPS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-19	FABRIC WALL PANELS OVER WHITE PAINT
WF-20	WHITE MARBLE FINISH;



NOTE:
(BACKSPLASH-CO) CENTER OF GLASS OVERHEAD CABINETS

4 SHOW KITCHEN 3
SCALE 1 : 30 METERS




5 SHOW KITCHEN 4
SCALE 1 : 30 METERS

NOTE:
VERIFY CONVENIENCE OUTLET MOUNTING HEIGHT WITH CASEWORK SHOP DRAWINGS FROM VENDOR

OWNER'S COPY

SHEET: ID-207




1 KEYPLAN
SCALE 1 : 50 METERS

GENERAL NOTES FOR INTERIORS:

1. VERIFY ALL SWITCHING WITH REFLECTED CEILING PLANS
2. REFLECTED CEILING PLAN SWITCHING SHALL GENERALLY PREVAIL, CONSULT WITH ARCHITECT PRIOR TO WORK
3. VERIFY ALL DOOR DETAILS WITH VENDOR SHOP DRAWING
4. VERIFY ALL GLASS FENESTRATION WORKS WITH VENDOR SHOP DRAWING


SCHEDULE OF FINISHES

TAG	DESCRIPTION
WF-02	1200 X 1200 MM STONE TILES; OSM TO BE VERIFIED BY ARCHITECT
WF-03	600 X 600 MM GRAY HOMOGENOUS CERAMIC TILES; OSM
WF-04	200 X 200 MM PAVER TILES
WF-05	1200 X 2780 MM ITALIAN TILES (BEIGE); VERIFY COLOR WITH ARCHITECT WALL FINISHES
WF-06	EXTERIOR WOOD CLADDING
WF-07	HONED TRAVERTINE STONE
WF-08	INTERIOR WOOD CLADDING
WF-09	BLACK METAL SHEET; TO BE VERIFIED BY ARCHITECT
WF-10	WALL PAPER WALL
WF-12	LATEX MATTE WHITE PAINT
WF-13	600 X 600 MM GRAY STONE TILES; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-14	FABRIC PATTERNED WALLPAPERS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-18	BRONZE METAL STRIPS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-19	FABRIC WALL PANELS OVER WHITE PAINT
WF-20	WHITE MARBLE FINISH;




2 PANTRY 1
SCALE 1 : 30 METERS

NOTE:
VERIFY CONVENIENCE OUTLET MOUNTING HEIGHT WITH CASEWORK SHOP DRAWINGS FROM VENDOR




3 PANTRY 2
SCALE 1 : 30 METERS



4 PANTRY 3
SCALE 1 : 30 METERS

NOTE:
VERIFY CONVENIENCE OUTLET MOUNTING HEIGHT WITH CASEWORK SHOP DRAWINGS FROM VENDOR



5 PANTRY 4
SCALE 1 : 30 METERS

OWNER'S COPY


SHEET: ID-208

GENERAL NOTES FOR INTERIORS:


1. VERIFY ALL SWITCHING WITH REFLECTED CEILING PLANS
2. REFLECTED CEILING PLAN SWITCHING SHALL GENERALLY PREVAIL, CONSULT WITH ARCHITECT PRIOR TO WORK
3. VERIFY ALL DOOR DETAILS WITH VENDOR SHOP DRAWING
4. VERIFY ALL GLASS FENESTRATION WORKS WITH VENDOR SHOP DRAWING

SCHEDULE OF FINISHES


TAG	DESCRIPTION
WF-02	1200 X 1200 MM STONE TILES; OSM TO BE VERIFIED BY ARCHITECT
WF-03	600 X 600 MM GRAY HOMOGENOUS CERAMIC TILES; OSM
WF-04	200 X 200 MM PAVER TILES
WF-05	1200 X 2780 MM ITALIAN TILES (BEIGE); VERIFY COLOR WITH ARCHITECT WALL FINISHES
WF-06	EXTERIOR WOOD CLADDING
WF-07	HONED TRAVERTINE STONE
WF-08	INTERIOR WOOD CLADDING
WF-09	BLACK METAL SHEET; TO BE VERIFIED BY ARCHITECT
WF-10	WALL PAPER WALL
WF-12	LATEX MATTE WHITE PAINT
WF-13	600 X 600 MM GRAY STONE TILES; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-14	FABRIC PATTERNED WALLPAPERS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-18	BRONZE METAL STRIPS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-19	FABRIC WALL PANELS OVER WHITE PAINT
WF-20	WHITE MARBLE FINISH;




1 SERVICE KITCHEN KEYPLAN
SCALE 1 : 75 METERS




2 SERVICE KITCHEN 1
SCALE 1 : 30 METERS



3 SERVICE KITCHEN 2
SCALE 1 : 30 METERS



4 SERVICE KITCHEN 3
SCALE 1 : 30 METERS




5 SERVICE KITCHEN 4
SCALE 1 : 30 METERS

NOTE:
VERIFY CONVENIENCE OUTLET MOUNTING HEIGHT WITH CASEWORK SHOP DRAWINGS FROM VENDOR

OWNER'S COPY

SHEET: ID-209




1 LAUNDRY KEYPLAN
SCALE 1 : 75 METERS

GENERAL NOTES FOR INTERIORS:


1. VERIFY ALL SWITCHING WITH REFLECTED CEILING PLANS
2. REFLECTED CEILING PLAN SWITCHING SHALL GENERALLY PREVAIL, CONSULT WITH ARCHITECT PRIOR TO WORK
3. VERIFY ALL DOOR DETAILS WITH VENDOR SHOP DRAWING
4. VERIFY ALL GLASS FENESTRATION WORKS WITH VENDOR SHOP DRAWING

SCHEDULE OF FINISHES


TAG	DESCRIPTION
WF-02	1200 X 1200 MM STONE TILES; OSM TO BE VERIFIED BY ARCHITECT
WF-03	600 X 600 MM GRAY HOMOGENOUS CERAMIC TILES; OSM
WF-04	200 X 200 MM PAVER TILES
WF-05	1200 X 2780 MM ITALIAN TILES (BEIGE); VERIFY COLOR WITH ARCHITECT WALL FINISHES
WF-06	EXTERIOR WOOD CLADDING
WF-07	HONED TRAVERTINE STONE
WF-08	INTERIOR WOOD CLADDING
WF-09	BLACK METAL SHEET; TO BE VERIFIED BY ARCHITECT
WF-10	WALL PAPER WALL
WF-12	LATEX MATTE WHITE PAINT
WF-13	600 X 600 MM GRAY STONE TILES; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-14	FABRIC PATTERNED WALLPAPERS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-18	BRONZE METAL STRIPS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-19	FABRIC WALL PANELS OVER WHITE PAINT
WF-20	WHITE MARBLE FINISH;




2 LAUNDRY 1
SCALE 1 : 30 METERS



3 LAUNDRY 2
SCALE 1 : 30 METERS



4 LAUNDRY 3
SCALE 1 : 30 METERS




5 LAUNDRY 4
SCALE 1 : 30 METERS

NOTE:
VERIFY CONVENIENCE OUTLET MOUNTING HEIGHT WITH CASEWORK SHOP DRAWINGS FROM VENDOR

OWNER'S COPY

SHEET: ID-210A




1 SERVICE ROOM KEYPLAN
SCALE 1 : 30 METERS

GENERAL NOTES FOR INTERIORS:


1. VERIFY ALL SWITCHING WITH REFLECTED CEILING PLANS
2. REFLECTED CEILING PLAN SWITCHING SHALL GENERALLY PREVAIL, CONSULT WITH ARCHITECT PRIOR TO WORK
3. VERIFY ALL DOOR DETAILS WITH VENDOR SHOP DRAWING
4. VERIFY ALL GLASS FENESTRATION WORKS WITH VENDOR SHOP DRAWING

SCHEDULE OF FINISHES


TAG	DESCRIPTION
WF-02	1200 X 1200 MM STONE TILES; OSM TO BE VERIFIED BY ARCHITECT
WF-03	600 X 600 MM GRAY HOMOGENOUS CERAMIC TILES; OSM
WF-04	200 X 200 MM PAVER TILES
WF-05	1200 X 2780 MM ITALIAN TILES (BEIGE); VERIFY COLOR WITH ARCHITECT WALL FINISHES
WF-06	EXTERIOR WOOD CLADDING
WF-07	HONED TRAVERTINE STONE
WF-08	INTERIOR WOOD CLADDING
WF-09	BLACK METAL SHEET; TO BE VERIFIED BY ARCHITECT
WF-10	WALL PAPER WALL
WF-12	LATEX MATTE WHITE PAINT
WF-13	600 X 600 MM GRAY STONE TILES; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-14	FABRIC PATTERNED WALLPAPERS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-18	BRONZE METAL STRIPS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-19	FABRIC WALL PANELS OVER WHITE PAINT
WF-20	WHITE MARBLE FINISH;




2 SERVICE ROOM 1
SCALE 1 : 30 METERS



3 SERVICE ROOM 2
SCALE 1 : 30 METERS



4 SERVICE ROOM 3
SCALE 1 : 30 METERS




5 SERVICE ROOM 4
SCALE 1 : 30 METERS

NOTE:
VERIFY CONVENIENCE OUTLET MOUNTING HEIGHT WITH CASEWORK SHOP DRAWINGS FROM VENDOR

OWNER'S COPY

SHEET: ID-210B




1 SERVICE ROOM T&B KEYPLAN
SCALE 1 : 30 METERS

GENERAL NOTES FOR INTERIORS:


1. VERIFY ALL SWITCHING WITH REFLECTED CEILING PLANS
2. REFLECTED CEILING PLAN SWITCHING SHALL GENERALLY PREVAIL, CONSULT WITH ARCHITECT PRIOR TO WORK
3. VERIFY ALL DOOR DETAILS WITH VENDOR SHOP DRAWING
4. VERIFY ALL GLASS FENESTRATION WORKS WITH VENDOR SHOP DRAWING

SCHEDULE OF FINISHES


TAG	DESCRIPTION
WF-02	1200 X 1200 MM STONE TILES; OSM TO BE VERIFIED BY ARCHITECT
WF-03	600 X 600 MM GRAY HOMOGENOUS CERAMIC TILES; OSM
WF-04	200 X 200 MM PAVER TILES
WF-05	1200 X 2780 MM ITALIAN TILES (BEIGE); VERIFY COLOR WITH ARCHITECT WALL FINISHES
WF-06	EXTERIOR WOOD CLADDING
WF-07	HONED TRAVERTINE STONE
WF-08	INTERIOR WOOD CLADDING
WF-09	BLACK METAL SHEET; TO BE VERIFIED BY ARCHITECT
WF-10	WALL PAPER WALL
WF-12	LATEX MATTE WHITE PAINT
WF-13	600 X 600 MM GRAY STONE TILES; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-14	FABRIC PATTERNED WALLPAPERS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-18	BRONZE METAL STRIPS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-19	FABRIC WALL PANELS OVER WHITE PAINT
WF-20	WHITE MARBLE FINISH;




2 SERVICE ROOM T&B 1
SCALE 1 : 30 METERS



3 SERVICE ROOM T&B 2
SCALE 1 : 30 METERS



4 SERVICE ROOM T&B 3
SCALE 1 : 30 METERS




5 SERVICE ROOM T&B 4
SCALE 1 : 30 METERS

NOTE:
VERIFY CONVENIENCE OUTLET MOUNTING HEIGHT WITH CASEWORK SHOP DRAWINGS FROM VENDOR

OWNER'S COPY

SHEET: ID-211




1 STORAGE ROOM KEYPLAN
SCALE 1 : 30 METERS

GENERAL NOTES FOR INTERIORS:


1. VERIFY ALL SWITCHING WITH REFLECTED CEILING PLANS
2. REFLECTED CEILING PLAN SWITCHING SHALL GENERALLY PREVAIL, CONSULT WITH ARCHITECT PRIOR TO WORK
3. VERIFY ALL DOOR DETAILS WITH VENDOR SHOP DRAWING
4. VERIFY ALL GLASS FENESTRATION WORKS WITH VENDOR SHOP DRAWING

SCHEDULE OF FINISHES


TAG	DESCRIPTION
WF-02	1200 X 1200 MM STONE TILES; OSM TO BE VERIFIED BY ARCHITECT
WF-03	600 X 600 MM GRAY HOMOGENOUS CERAMIC TILES; OSM
WF-04	200 X 200 MM PAVER TILES
WF-05	1200 X 2780 MM ITALIAN TILES (BEIGE); VERIFY COLOR WITH ARCHITECT WALL FINISHES
WF-06	EXTERIOR WOOD CLADDING
WF-07	HONED TRAVERTINE STONE
WF-08	INTERIOR WOOD CLADDING
WF-09	BLACK METAL SHEET; TO BE VERIFIED BY ARCHITECT
WF-10	WALL PAPER WALL
WF-12	LATEX MATTE WHITE PAINT
WF-13	600 X 600 MM GRAY STONE TILES; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-14	FABRIC PATTERNED WALLPAPERS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-18	BRONZE METAL STRIPS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-19	FABRIC WALL PANELS OVER WHITE PAINT
WF-20	WHITE MARBLE FINISH;




2 STORAGE ROOM 1
SCALE 1 : 30 METERS



3 STORAGE ROOM 2
SCALE 1 : 30 METERS



4 STORAGE ROOM 3
SCALE 1 : 30 METERS



5 STORAGE ROOM 4
SCALE 1 : 30 METERS

OWNER'S COPY


SHEET: ID-212A

SCHEDULE OF FINISHES	
TAG	DESCRIPTION
WF-02	1200 X 1200 MM STONE TILES; OSM TO BE VERIFIED BY ARCHITECT
WF-03	600 X 600 MM GRAY HOMOGENOUS CERAMIC TILES; OSM
WF-04	200 X 200 MM PAVER TILES
WF-05	1200 X 2780 MM ITALIAN TILES (BEIGE); VERIFY COLOR WITH ARCHITECT WALL FINISHES
WF-06	EXTERIOR WOOD CLADDING
WF-07	HONED TRAVERTINE STONE
WF-08	INTERIOR WOOD CLADDING
WF-09	BLACK METAL SHEET; TO BE VERIFIED BY ARCHITECT
WF-10	WALL PAPER WALL
WF-12	LATEX MATTE WHITE PAINT
WF-13	600 X 600 MM GRAY STONE TILES; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-14	FABRIC PATTERNED WALLPAPERS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-18	BRONZE METAL STRIPS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-19	FABRIC WALL PANELS OVER WHITE PAINT
WF-20	WHITE MARBLE FINISH;

SCHEDULE OF FIN SHE	
TAG	DESCRIPTI


OWNER'S COPY

SHEET: ID-212B




1 GUARDHOUSE T&B KEYPLAN
SCALE 1 : 25 METERS


SCHEDULE OF FINISHES	
TAG	DESCRIPTION
WF-02	1200 X 1200 MM STONE TILES; OSM TO BE VERIFIED BY ARCHITECT
WF-03	600 X 600 MM GRAY HOMOGENOUS CERAMIC TILES; OSM
WF-04	200 X 200 MM PAVER TILES
WF-05	1200 X 2780 MM ITALIAN TILES (BEIGE); VERIFY COLOR WITH ARCHITECT WALL FINISHES
WF-06	EXTERIOR WOOD CLADDING
WF-07	HONED TRAVERTINE STONE
WF-08	INTERIOR WOOD CLADDING
WF-09	BLACK METAL SHEET; TO BE VERIFIED BY ARCHITECT
WF-10	WALL PAPER WALL
WF-12	LATEX MATTE WHITE PAINT
WF-13	600 X 600 MM GRAY STONE TILES; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-14	FABRIC PATTERNED WALLPAPERS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-18	BRONZE METAL STRIPS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-19	FABRIC WALL PANELS OVER WHITE PAINT
WF-20	WHITE MARBLE FINISH;




2 GUARDHOUSE T&B 1
SCALE 1 : 30 METERS



3 GUARDHOUSE T&B 2
SCALE 1 : 30 METERS




4 GUARDHOUSE T&B 3
SCALE 1 : 30 METERS




5 GUARDHOUSE T&B 4
SCALE 1 : 30 METERS

OWNER'S COPY


SHEET: ID-213A




1 STORAGE 1
SCALE 1 : 30 METERS




2 STORAGE 2
SCALE 1 : 30 METERS




3 STORAGE 3
SCALE 1 : 30 METERS




4 STORAGE 4
SCALE 1 : 30 METERS




5 SHOE STO. 1
SCALE 1 : 30 METERS



6 SHOE STO. 2
SCALE 1 : 30 METERS




7 SHOE STO. 3
SCALE 1 : 30 METERS




8 SHOE STO. 4
SCALE 1 : 30 METERS

OWNER'S COPY


SHEET: ID-213B




1 2ND FLR HALLWAY 1
SCALE 1 : 30 METERS




2 2ND FLR HALLWAY 2
SCALE 1 : 30 METERS




3 2ND FLR HALLWAY 3
SCALE 1 : 30 METERS




5 2ND FLR HALLWAY 4
SCALE 1 : 30 METERS




7 STO. CLOSET 1
SCALE 1 : 30 METERS



6 STO. CLOSET 2
SCALE 1 : 30 METERS




4 STO. CLOSET 3
SCALE 1 : 30 METERS



8 STO. CLOSET 4
SCALE 1 : 30 METERS

OWNER'S COPY

SHEET: ID-214




1 2ND FLOOR HALLWAY KEYPLAN
SCALE 1 : 50 METERS


SCHEDULE OF FINISHES	
TAG	DESCRIPTION
WF-02	1200 X 1200 MM STONE TILES; OSM TO BE VERIFIED BY ARCHITECT
WF-03	600 X 600 MM GRAY HOMOGENOUS CERAMIC TILES; OSM
WF-04	200 X 200 MM PAVER TILES
WF-05	1200 X 2780 MM ITALIAN TILES (BEIGE); VERIFY COLOR WITH ARCHITECT WALL FINISHES
WF-06	EXTERIOR WOOD CLADDING
WF-07	HONED TRAVERTINE STONE
WF-08	INTERIOR WOOD CLADDING
WF-09	BLACK METAL SHEET; TO BE VERIFIED BY ARCHITECT
WF-10	WALL PAPER WALL
WF-12	LATEX MATTE WHITE PAINT
WF-13	600 X 600 MM GRAY STONE TILES; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-14	FABRIC PATTERNED WALLPAPERS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-18	BRONZE METAL STRIPS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-19	FABRIC WALL PANELS OVER WHITE PAINT
WF-20	WHITE MARBLE FINISH;




2 2ND FLOOR HALLWAY 1
SCALE 1 : 30 METERS



3 2ND FLOOR HALLWAY 2
SCALE 1 : 30 METERS




4 2ND FLOOR HALLWAY 3
SCALE 1 : 30 METERS



5 2ND FLOOR HALLWAY 4
SCALE 1 : 30 METERS

OWNER'S COPY

SHEET: ID-215A




ROOM 3
5 KEYPLAN
SCALE 1 : 50 METERS


GENERAL NOTES FOR INTERIORS:

1. VERIFY ALL SWITCHING WITH REFLECTED CEILING PLANS
2. REFLECTED CEILING PLAN SWITCHING SHALL GENERALLY PREVAIL, CONSULT WITH ARCHITECT PRIOR TO WORK
3. VERIFY ALL DOOR DETAILS WITH VENDOR SHOP DRAWING
4. VERIFY ALL GLASS FENESTRATION WORKS WITH VENDOR SHOP DRAWING


SCHEDULE OF FINISHES	
TAG	DESCRIPTION
WF-02	1200 X 1200 MM STONE TILES; OSM TO BE VERIFIED BY ARCHITECT
WF-03	600 X 600 MM GRAY HOMOGENOUS CERAMIC TILES; OSM
WF-04	200 X 200 MM PAVER TILES
WF-05	1200 X 2780 MM ITALIAN TILES (BEIGE); VERIFY COLOR WITH ARCHITECT WALL FINISHES
WF-06	EXTERIOR WOOD CLADDING
WF-07	HONED TRAVERTINE STONE
WF-08	INTERIOR WOOD CLADDING
WF-09	BLACK METAL SHEET; TO BE VERIFIED BY ARCHITECT
WF-10	WALL PAPER WALL
WF-12	LATEX MATTE WHITE PAINT
WF-13	600 X 600 MM GRAY STONE TILES; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-14	FABRIC PATTERNED WALLPAPERS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-18	BRONZE METAL STRIPS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-19	FABRIC WALL PANELS OVER WHITE PAINT
WF-20	WHITE MARBLE FINISH;




1 ROOM 3
SCALE 1 : 30 METERS



2 ROOM 3_2
SCALE 1 : 30 METERS




3 ROOM 3_3
SCALE 1 : 30 METERS



4 ROOM 3_4
SCALE 1 : 30 METERS

OWNER'S COPY

SHEET: ID-215B



1 ROOM 3 T&B KEYPLAN


SCALE 1 : 50 METERS

GENERAL NOTES FOR INTERIORS:

1. VERIFY ALL SWITCHING WITH REFLECTED CEILING PLANS
2. REFLECTED CEILING PLAN SWITCHING SHALL GENERALLY PREVAIL, CONSULT WITH ARCHITECT PRIOR TO WORK
3. VERIFY ALL DOOR DETAILS WITH VENDOR SHOP DRAWING
4. VERIFY ALL GLASS FENESTRATION WORKS WITH VENDOR SHOP DRAWING


SCHEDULE OF FINISHES

TAG	DESCRIPTION
WF-02	1200 X 1200 MM STONE TILES; OSM TO BE VERIFIED BY ARCHITECT
WF-03	600 X 600 MM GRAY HOMOGENOUS CERAMIC TILES; OSM
WF-04	200 X 200 MM PAVER TILES
WF-05	1200 X 2780 MM ITALIAN TILES (BEIGE); VERIFY COLOR WITH ARCHITECT WALL FINISHES
WF-06	EXTERIOR WOOD CLADDING
WF-07	HONED TRAVERTINE STONE
WF-08	INTERIOR WOOD CLADDING
WF-09	BLACK METAL SHEET; TO BE VERIFIED BY ARCHITECT
WF-10	WALL PAPER WALL
WF-12	LATEX MATTE WHITE PAINT
WF-13	600 X 600 MM GRAY STONE TILES; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-14	FABRIC PATTERNED WALLPAPERS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-18	BRONZE METAL STRIPS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-19	FABRIC WALL PANELS OVER WHITE PAINT
WF-20	WHITE MARBLE FINISH;




2 ROOM 3 T&B 1

SCALE 1 : 30 METERS




3 ROOM 3 T&B 2

SCALE 1 : 30 METERS



4 ROOM 3 T&B 3

SCALE 1 : 30 METERS



5 ROOM 3 T&B 4


SCALE 1 : 30 METERS

NOTE:
VERIFY THE SHOWER ENCLOSURE SUPPLIER & ALIGN DIVIDER TO WINDOW'S MULLION

NOTE:
VERIFY CONVENIENCE OUTLET MOUNTING HEIGHT WITH CASEWORK SHOP DRAWINGS FROM VENDOR

OWNER'S COPY

SHEET: ID-215C




1 ROOM 3 T&B KEYPLAN
SCALE 1 : 50 METERS

GENERAL NOTES FOR INTERIORS:


1. VERIFY ALL SWITCHING WITH REFLECTED CEILING PLANS
2. REFLECTED CEILING PLAN SWITCHING SHALL GENERALLY PREVAIL, CONSULT WITH ARCHITECT PRIOR TO WORK
3. VERIFY ALL DOOR DETAILS WITH VENDOR SHOP DRAWING
4. VERIFY ALL GLASS FENESTRATION WORKS WITH VENDOR SHOP DRAWING

SCHEDULE OF FINISHES


TAG	DESCRIPTION
WF-02	1200 X 1200 MM STONE TILES; OSM TO BE VERIFIED BY ARCHITECT
WF-03	600 X 600 MM GRAY HOMOGENOUS CERAMIC TILES; OSM
WF-04	200 X 200 MM PAVER TILES
WF-05	1200 X 2780 MM ITALIAN TILES (BEIGE); VERIFY COLOR WITH ARCHITECT WALL FINISHES
WF-06	EXTERIOR WOOD CLADDING
WF-07	HONED TRAVERTINE STONE
WF-08	INTERIOR WOOD CLADDING
WF-09	BLACK METAL SHEET; TO BE VERIFIED BY ARCHITECT
WF-10	WALL PAPER WALL
WF-12	LATEX MATTE WHITE PAINT
WF-13	600 X 600 MM GRAY STONE TILES; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-14	FABRIC PATTERNED WALLPAPERS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-18	BRONZE METAL STRIPS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-19	FABRIC WALL PANELS OVER WHITE PAINT
WF-20	WHITE MARBLE FINISH;



6 ROOM 3 T&B 5
SCALE 1 : 30 METERS




7 ROOM 3 T&B 6
SCALE 1 : 30 METERS



8 ROOM 3 T&B 7
SCALE 1 : 30 METERS

NOTE:

- THIS VIEW IS FACING THE SHOWER FROM THE TOILET
- VERIFY THE SHOWER ENCLOSURE SUPPLIER & ALIGN DIVIDER TO WINDOW'S MULLION



9 ROOM 3 T&B 8
SCALE 1 : 30 METERS

NOTE:

- THIS VIEW IS FACING THE TOILET FROM THE SHOWER, TAKE NOTE OF FLOOR DROP & CEILING HEIGHT
- VERIFY THE SHOWER ENCLOSURE SUPPLIER & ALIGN DIVIDER TO WINDOW'S MULLION

NOTE:
VERIFY CONVENIENCE OUTLET MOUNTING HEIGHT WITH CASEWORK SHOP DRAWINGS FROM VENDOR

OWNER'S COPY


SHEET: ID-216A

GENERAL NOTES FOR INTERIORS:


1. VERIFY ALL SWITCHING WITH REFLECTED CEILING PLANS
2. REFLECTED CEILING PLAN SWITCHING SHALL GENERALLY PREVAIL, CONSULT WITH ARCHITECT PRIOR TO WORK
3. VERIFY ALL DOOR DETAILS WITH VENDOR SHOP DRAWING
4. VERIFY ALL GLASS FENESTRATION WORKS WITH VENDOR SHOP DRAWING

SCHEDULE OF FINISHES


TAG	DESCRIPTION
WF-02	1200 X 1200 MM STONE TILES; OSM TO BE VERIFIED BY ARCHITECT
WF-03	600 X 600 MM GRAY HOMOGENOUS CERAMIC TILES; OSM
WF-04	200 X 200 MM PAVER TILES
WF-05	1200 X 2780 MM ITALIAN TILES (BEIGE); VERIFY COLOR WITH ARCHITECT WALL FINISHES
WF-06	EXTERIOR WOOD CLADDING
WF-07	HONED TRAVERTINE STONE
WF-08	INTERIOR WOOD CLADDING
WF-09	BLACK METAL SHEET; TO BE VERIFIED BY ARCHITECT
WF-10	WALL PAPER WALL
WF-12	LATEX MATTE WHITE PAINT
WF-13	600 X 600 MM GRAY STONE TILES; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-14	FABRIC PATTERNED WALLPAPERS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-18	BRONZE METAL STRIPS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-19	FABRIC WALL PANELS OVER WHITE PAINT
WF-20	WHITE MARBLE FINISH;



5 KEYPLAN
SCALE 1 : 50 METERS




1 ROOM 4
SCALE 1 : 30 METERS



2 ROOM 4_2
SCALE 1 : 30 METERS

OWNER'S COPY

SHEET: ID-216B




5 KEYPLAN
SCALE 1 : 50 METERS

GENERAL NOTES FOR INTERIORS:


1. VERIFY ALL SWITCHING WITH REFLECTED CEILING PLANS
2. REFLECTED CEILING PLAN SWITCHING SHALL GENERALLY PREVAIL, CONSULT WITH ARCHITECT PRIOR TO WORK
3. VERIFY ALL DOOR DETAILS WITH VENDOR SHOP DRAWING
4. VERIFY ALL GLASS FENESTRATION WORKS WITH VENDOR SHOP DRAWING

SCHEDULE OF FINISHES


TAG	DESCRIPTION
WF-02	1200 X 1200 MM STONE TILES; OSM TO BE VERIFIED BY ARCHITECT
WF-03	600 X 600 MM GRAY HOMOGENOUS CERAMIC TILES; OSM
WF-04	200 X 200 MM PAVER TILES
WF-05	1200 X 2780 MM ITALIAN TILES (BEIGE); VERIFY COLOR WITH ARCHITECT WALL FINISHES
WF-06	EXTERIOR WOOD CLADDING
WF-07	HONED TRAVERTINE STONE
WF-08	INTERIOR WOOD CLADDING
WF-09	BLACK METAL SHEET; TO BE VERIFIED BY ARCHITECT
WF-10	WALL PAPER WALL
WF-12	LATEX MATTE WHITE PAINT
WF-13	600 X 600 MM GRAY STONE TILES; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-14	FABRIC PATTERNED WALLPAPERS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-18	BRONZE METAL STRIPS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-19	FABRIC WALL PANELS OVER WHITE PAINT
WF-20	WHITE MARBLE FINISH;



3 ROOM 4_3
SCALE 1 : 30 METERS




4 ROOM 4_4
SCALE 1 : 30 METERS



6 ROOM 4_5
SCALE 1 : 30 METERS

OWNER'S COPY

SHEET: ID-216C




1 KEYPLAN
ROOM 4 WIC
SCALE 1 : 50 METERS

GENERAL NOTES FOR INTERIORS:


1. VERIFY ALL SWITCHING WITH REFLECTED CEILING PLANS
2. REFLECTED CEILING PLAN SWITCHING SHALL GENERALLY PREVAIL, CONSULT WITH ARCHITECT PRIOR TO WORK
3. VERIFY ALL DOOR DETAILS WITH VENDOR SHOP DRAWING
4. VERIFY ALL GLASS FENESTRATION WORKS WITH VENDOR SHOP DRAWING

SCHEDULE OF FINISHES


TAG	DESCRIPTION
WF-02	1200 X 1200 MM STONE TILES; OSM TO BE VERIFIED BY ARCHITECT
WF-03	600 X 600 MM GRAY HOMOGENOUS CERAMIC TILES; OSM
WF-04	200 X 200 MM PAVER TILES
WF-05	1200 X 2780 MM ITALIAN TILES (BEIGE); VERIFY COLOR WITH ARCHITECT WALL FINISHES
WF-06	EXTERIOR WOOD CLADDING
WF-07	HONED TRAVERTINE STONE
WF-08	INTERIOR WOOD CLADDING
WF-09	BLACK METAL SHEET; TO BE VERIFIED BY ARCHITECT
WF-10	WALL PAPER WALL
WF-12	LATEX MATTE WHITE PAINT
WF-13	600 X 600 MM GRAY STONE TILES; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-14	FABRIC PATTERNED WALLPAPERS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-18	BRONZE METAL STRIPS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-19	FABRIC WALL PANELS OVER WHITE PAINT
WF-20	WHITE MARBLE FINISH;




2 ROOM 4 WIC 1
SCALE 1 : 30 METERS



3 ROOM 4 WIC 2
SCALE 1 : 30 METERS



4 ROOM 4 WIC 3
SCALE 1 : 30 METERS




5 ROOM 4 WIC 4
SCALE 1 : 30 METERS

NOTE:
VERIFY CONVENIENCE OUTLET MOUNTING HEIGHT WITH CASEWORK SHOP DRAWINGS FROM VENDOR

OWNER'S COPY

SHEET: ID-217A



1 ROOM 4 T&B KEYPLAN


SCALE 1 : 50 METERS

GENERAL NOTES FOR INTERIORS:

1. VERIFY ALL SWITCHING WITH REFLECTED CEILING PLANS
2. REFLECTED CEILING PLAN SWITCHING SHALL GENERALLY PREVAIL, CONSULT WITH ARCHITECT PRIOR TO WORK
3. VERIFY ALL DOOR DETAILS WITH VENDOR SHOP DRAWING
4. VERIFY ALL GLASS FENESTRATION WORKS WITH VENDOR SHOP DRAWING


SCHEDULE OF FINISHES

TAG	DESCRIPTION
WF-02	1200 X 1200 MM STONE TILES; OSM TO BE VERIFIED BY ARCHITECT
WF-03	600 X 600 MM GRAY HOMOGENOUS CERAMIC TILES; OSM
WF-04	200 X 200 MM PAVER TILES
WF-05	1200 X 2780 MM ITALIAN TILES (BEIGE); VERIFY COLOR WITH ARCHITECT WALL FINISHES
WF-06	EXTERIOR WOOD CLADDING
WF-07	HONED TRAVERTINE STONE
WF-08	INTERIOR WOOD CLADDING
WF-09	BLACK METAL SHEET; TO BE VERIFIED BY ARCHITECT
WF-10	WALL PAPER WALL
WF-12	LATEX MATTE WHITE PAINT
WF-13	600 X 600 MM GRAY STONE TILES; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-14	FABRIC PATTERNED WALLPAPERS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-18	BRONZE METAL STRIPS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-19	FABRIC WALL PANELS OVER WHITE PAINT
WF-20	WHITE MARBLE FINISH;



2 ROOM 4 T&B 1


SCALE 1 : 30 METERS



3 ROOM 4 T&B 2


SCALE 1 : 30 METERS

NOTE:
VERIFY THE SHOWER ENCLOSURE SUPPLIER & ALIGN DIVIDER TO WINDOW'S MULLION



4 ROOM 4 T&B 3

SCALE 1 : 30 METERS



5 ROOM 4 T&B 4


SCALE 1 : 30 METERS

NOTE:
VERIFY THE SHOWER ENCLOSURE SUPPLIER & ALIGN DIVIDER TO WINDOW'S MULLION

NOTE:
VERIFY CONVENIENCE OUTLET MOUNTING HEIGHT WITH CASEWORK SHOP DRAWINGS FROM VENDOR

OWNER'S COPY

SHEET: ID-217B



ROOM 4 T&B

1 KEYPLAN


SCALE 1 : 50 METERS

GENERAL NOTES FOR INTERIORS:

1. VERIFY ALL SWITCHING WITH REFLECTED CEILING PLANS
2. REFLECTED CEILING PLAN SWITCHING SHALL GENERALLY PREVAIL, CONSULT WITH ARCHITECT PRIOR TO WORK
3. VERIFY ALL DOOR DETAILS WITH VENDOR SHOP DRAWING
4. VERIFY ALL GLASS FENESTRATION WORKS WITH VENDOR SHOP DRAWING


SCHEDULE OF FINISHES

TAG	DESCRIPTION
WF-02	1200 X 1200 MM STONE TILES; OSM TO BE VERIFIED BY ARCHITECT
WF-03	600 X 600 MM GRAY HOMOGENOUS CERAMIC TILES; OSM
WF-04	200 X 200 MM PAVER TILES
WF-05	1200 X 2780 MM ITALIAN TILES (BEIGE); VERIFY COLOR WITH ARCHITECT WALL FINISHES
WF-06	EXTERIOR WOOD CLADDING
WF-07	HONED TRAVERTINE STONE
WF-08	INTERIOR WOOD CLADDING
WF-09	BLACK METAL SHEET; TO BE VERIFIED BY ARCHITECT
WF-10	WALL PAPER WALL
WF-12	LATEX MATTE WHITE PAINT
WF-13	600 X 600 MM GRAY STONE TILES; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-14	FABRIC PATTERNED WALLPAPERS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-18	BRONZE METAL STRIPS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-19	FABRIC WALL PANELS OVER WHITE PAINT
WF-20	WHITE MARBLE FINISH;



6 ROOM 4 T&B 5


SCALE 1 : 30 METERS



7 ROOM 4 T&B 6

SCALE 1 : 30 METERS


NOTE:
VERIFY THE SHOWER ENCLOSURE SUPPLIER & ALIGN DIVIDER TO WINDOW'S MULLION



8 ROOM 4 T&B 7

SCALE 1 : 30 METERS

NOTE:
VERIFY THE SHOWER ENCLOSURE SUPPLIER & ALIGN DIVIDER TO WINDOW'S MULLION



10 ROOM 4 T&B 8


SCALE 1 : 30 METERS

NOTE:
VERIFY THE SHOWER ENCLOSURE SUPPLIER & ALIGN DIVIDER TO WINDOW'S MULLION

NOTE:
VERIFY CONVENIENCE OUTLET MOUNTING HEIGHT WITH CASEWORK SHOP DRAWINGS FROM VENDOR

OWNER'S COPY

SHEET: ID-218A



FAMILY ROOM

5 KEYPLAN

SCALE 1 : 50 METERS

GENERAL NOTES FOR INTERIORS:

1. VERIFY ALL SWITCHING WITH REFLECTED CEILING PLANS
2. REFLECTED CEILING PLAN SWITCHING SHALL GENERALLY PREVAIL, CONSULT WITH ARCHITECT PRIOR TO WORK
3. VERIFY ALL DOOR DETAILS WITH VENDOR SHOP DRAWING
4. VERIFY ALL GLASS FENESTRATION WORKS WITH VENDOR SHOP DRAWING


SCHEDULE OF FINISHES

TAG	DESCRIPTION
WF-02	1200 X 1200 MM STONE TILES; OSM TO BE VERIFIED BY ARCHITECT
WF-03	600 X 600 MM GRAY HOMOGENOUS CERAMIC TILES; OSM
WF-04	200 X 200 MM PAVER TILES
WF-05	1200 X 2780 MM ITALIAN TILES (BEIGE); VERIFY COLOR WITH ARCHITECT WALL FINISHES
WF-06	EXTERIOR WOOD CLADDING
WF-07	HONED TRAVERTINE STONE
WF-08	INTERIOR WOOD CLADDING
WF-09	BLACK METAL SHEET; TO BE VERIFIED BY ARCHITECT
WF-10	WALL PAPER WALL
WF-12	LATEX MATTE WHITE PAINT
WF-13	600 X 600 MM GRAY STONE TILES; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-14	FABRIC PATTERNED WALLPAPERS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-18	BRONZE METAL STRIPS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-19	FABRIC WALL PANELS OVER WHITE PAINT
WF-20	WHITE MARBLE FINISH;




1 FAMILY ROOM

SCALE 1 : 30 METERS




2 FAMILY ROOM_2

SCALE 1 : 30 METERS



3 FAMILY ROOM_3

SCALE 1 : 30 METERS




4 FAMILY ROOM _4

SCALE 1 : 30 METERS

NOTE:
VERIFY CONVENIENCE OUTLET MOUNTING HEIGHT WITH CASEWORK SHOP DRAWINGS FROM VENDOR

OWNER'S COPY

SHEET: ID-218B



1 FAMILY ROOM T&B KEYPLAN


SCALE 1 : 50 METERS

GENERAL NOTES FOR INTERIORS:

1. VERIFY ALL SWITCHING WITH REFLECTED CEILING PLANS
2. REFLECTED CEILING PLAN SWITCHING SHALL GENERALLY PREVAIL, CONSULT WITH ARCHITECT PRIOR TO WORK
3. VERIFY ALL DOOR DETAILS WITH VENDOR SHOP DRAWING
4. VERIFY ALL GLASS FENESTRATION WORKS WITH VENDOR SHOP DRAWING


SCHEDULE OF FINISHES

TAG	DESCRIPTION
WF-02	1200 X 1200 MM STONE TILES; OSM TO BE VERIFIED BY ARCHITECT
WF-03	600 X 600 MM GRAY HOMOGENOUS CERAMIC TILES; OSM
WF-04	200 X 200 MM PAVER TILES
WF-05	1200 X 2780 MM ITALIAN TILES (BEIGE); VERIFY COLOR WITH ARCHITECT WALL FINISHES
WF-06	EXTERIOR WOOD CLADDING
WF-07	HONED TRAVERTINE STONE
WF-08	INTERIOR WOOD CLADDING
WF-09	BLACK METAL SHEET; TO BE VERIFIED BY ARCHITECT
WF-10	WALL PAPER WALL
WF-12	LATEX MATTE WHITE PAINT
WF-13	600 X 600 MM GRAY STONE TILES; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-14	FABRIC PATTERNED WALLPAPERS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-18	BRONZE METAL STRIPS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-19	FABRIC WALL PANELS OVER WHITE PAINT
WF-20	WHITE MARBLE FINISH;




2 FAMILY ROOM T&B 1

SCALE 1 : 30 METERS



3 FAMILY ROOM T&B 2


SCALE 1 : 30 METERS



4 FAMILY ROOM T&B 3

SCALE 1 : 30 METERS

NOTE:
VERIFY THE SHOWER ENCLOSURE SUPPLIER & ALIGN DIVIDER TO WINDOW'S MULLION




5 FAMILY ROOM T&B 4

SCALE 1 : 30 METERS

NOTE:
VERIFY CONVENIENCE OUTLET MOUNTING HEIGHT WITH CASEWORK SHOP DRAWINGS FROM VENDOR

OWNER'S COPY

SHEET: ID-218C



1 FAMILY ROOM T&B KEYPLAN


SCALE 1 : 50 METERS

GENERAL NOTES FOR INTERIORS:

1. VERIFY ALL SWITCHING WITH REFLECTED CEILING PLANS
2. REFLECTED CEILING PLAN SWITCHING SHALL GENERALLY PREVAIL, CONSULT WITH ARCHITECT PRIOR TO WORK
3. VERIFY ALL DOOR DETAILS WITH VENDOR SHOP DRAWING
4. VERIFY ALL GLASS FENESTRATION WORKS WITH VENDOR SHOP DRAWING


SCHEDULE OF FINISHES

TAG	DESCRIPTION
WF-02	1200 X 1200 MM STONE TILES; OSM TO BE VERIFIED BY ARCHITECT
WF-03	600 X 600 MM GRAY HOMOGENOUS CERAMIC TILES; OSM
WF-04	200 X 200 MM PAVER TILES
WF-05	1200 X 2780 MM ITALIAN TILES (BEIGE); VERIFY COLOR WITH ARCHITECT WALL FINISHES
WF-06	EXTERIOR WOOD CLADDING
WF-07	HONED TRAVERTINE STONE
WF-08	INTERIOR WOOD CLADDING
WF-09	BLACK METAL SHEET; TO BE VERIFIED BY ARCHITECT
WF-10	WALL PAPER WALL
WF-12	LATEX MATTE WHITE PAINT
WF-13	600 X 600 MM GRAY STONE TILES; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-14	FABRIC PATTERNED WALLPAPERS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-18	BRONZE METAL STRIPS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-19	FABRIC WALL PANELS OVER WHITE PAINT
WF-20	WHITE MARBLE FINISH;



6 FAMILY ROOM T&B 5


SCALE 1 : 30 METERS



7 FAMILY ROOM T&B 6


SCALE 1 : 30 METERS

NOTE:
VERIFY THE SHOWER ENCLOSURE SUPPLIER & ALIGN DIVIDER TO WINDOW'S MULLION



8 FAMILY ROOM T&B 7

SCALE 1 : 30 METERS



9 FAMILY ROOM T&B 8


SCALE 1 : 30 METERS

NOTE:
VERIFY THE SHOWER ENCLOSURE SUPPLIER & ALIGN DIVIDER TO WINDOW'S MULLION

NOTE:
VERIFY CONVENIENCE OUTLET MOUNTING HEIGHT WITH CASEWORK SHOP DRAWINGS FROM VENDOR

OWNER'S COPY

SHEET: ID-220A



MASTER BEDROOM

5 KEYPLAN


SCALE 1 : 50 METERS

GENERAL NOTES FOR INTERIORS:

1. VERIFY ALL SWITCHING WITH REFLECTED CEILING PLANS
2. REFLECTED CEILING PLAN SWITCHING SHALL GENERALLY PREVAIL, CONSULT WITH ARCHITECT PRIOR TO WORK
3. VERIFY ALL DOOR DETAILS WITH VENDOR SHOP DRAWING
4. VERIFY ALL GLASS FENESTRATION WORKS WITH VENDOR SHOP DRAWING

SCHEDULE OF FINISHES

TAG	DESCRIPTION
WF-02	1200 X 1200 MM STONE TILES; OSM TO BE VERIFIED BY ARCHITECT
WF-03	600 X 600 MM GRAY HOMOGENOUS CERAMIC TILES; OSM
WF-04	200 X 200 MM PAVER TILES
WF-05	1200 X 2780 MM ITALIAN TILES (BEIGE); VERIFY COLOR WITH ARCHITECT WALL FINISHES
WF-06	EXTERIOR WOOD CLADDING
WF-07	HONED TRAVERTINE STONE
WF-08	INTERIOR WOOD CLADDING
WF-09	BLACK METAL SHEET; TO BE VERIFIED BY ARCHITECT
WF-10	WALL PAPER WALL
WF-12	LATEX MATTE WHITE PAINT
WF-13	600 X 600 MM GRAY STONE TILES; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-14	FABRIC PATTERNED WALLPAPERS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-18	BRONZE METAL STRIPS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-19	FABRIC WALL PANELS OVER WHITE PAINT
WF-20	WHITE MARBLE FINISH;




NOTE:
TO FINALIZE BED HEADBOARD WITH SUPPLIER

NOTE:
FOR PROVISION ONLY; OUTLETS INTERGRATED WITH HEADBOARD; VERIFY WITH SUPPLIER

1 MASTER BEDROOM

SCALE 1 : 30 METERS




2 MASTER BEDROOM_2

SCALE 1 : 30 METERS

NOTE:
VERIFY CONVENIENCE OUTLET MOUNTING HEIGHT WITH CASEWORK SHOP DRAWINGS FROM VENDOR

OWNER'S COPY

SHEET: ID-220B



MASTER BEDROOM

5 KEYPLAN


SCALE 1 : 50 METERS

GENERAL NOTES FOR INTERIORS:

1. VERIFY ALL SWITCHING WITH REFLECTED CEILING PLANS
2. REFLECTED CEILING PLAN SWITCHING SHALL GENERALLY PREVAIL, CONSULT WITH ARCHITECT PRIOR TO WORK
3. VERIFY ALL DOOR DETAILS WITH VENDOR SHOP DRAWING
4. VERIFY ALL GLASS FENESTRATION WORKS WITH VENDOR SHOP DRAWING

SCHEDULE OF FINISHES

TAG	DESCRIPTION
WF-02	1200 X 1200 MM STONE TILES; OSM TO BE VERIFIED BY ARCHITECT
WF-03	600 X 600 MM GRAY HOMOGENOUS CERAMIC TILES; OSM
WF-04	200 X 200 MM PAVER TILES
WF-05	1200 X 2780 MM ITALIAN TILES (BEIGE); VERIFY COLOR WITH ARCHITECT WALL FINISHES
WF-06	EXTERIOR WOOD CLADDING
WF-07	HONED TRAVERTINE STONE
WF-08	INTERIOR WOOD CLADDING
WF-09	BLACK METAL SHEET; TO BE VERIFIED BY ARCHITECT
WF-10	WALL PAPER WALL
WF-12	LATEX MATTE WHITE PAINT
WF-13	600 X 600 MM GRAY STONE TILES; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-14	FABRIC PATTERNED WALLPAPERS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-18	BRONZE METAL STRIPS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-19	FABRIC WALL PANELS OVER WHITE PAINT
WF-20	WHITE MARBLE FINISH;




NOTE:
TO FINALIZE CASEWORK BUILT-IN WITH SUPPLIER

3 MASTER BEDROOM_3

SCALE 1 : 30 METERS

NOTE:
FOR PROVISION ONLY; OUTLETS INTERGRATED WITH WALL PANEL; VERIFY WITH SUPPLIER




4 MASTER BEDROOM_4

SCALE 1 : 30 METERS


NOTE:
VERIFY CONVENIENCE OUTLET MOUNTING HEIGHT WITH CASEWORK SHOP DRAWINGS FROM VENDOR

OWNER'S COPY


SHEET: ID-221A



MASTER LIVING ROOM
5 KEYPLAN
SCALE 1 : 50 METERS



1 MASTER LIVING ROOM
SCALE 1 : 30 METERS



2 MASTER LIVING ROOM_2
SCALE 1 : 30 METERS

GENERAL NOTES FOR INTERIORS:

1. VERIFY ALL SWITCHING WITH REFLECTED CEILING PLANS
2. REFLECTED CEILING PLAN SWITCHING SHALL GENERALLY PREVAIL, CONSULT WITH ARCHITECT PRIOR TO WORK
3. VERIFY ALL DOOR DETAILS WITH VENDOR SHOP DRAWING
4. VERIFY ALL GLASS FENESTRATION WORKS WITH VENDOR SHOP DRAWING

SCHEDULE OF FINISHES


TAG	DESCRIPTION
WF-02	1200 X 1200 MM STONE TILES; OSM TO BE VERIFIED BY ARCHITECT
WF-03	600 X 600 MM GRAY HOMOGENOUS CERAMIC TILES; OSM
WF-04	200 X 200 MM PAVER TILES
WF-05	1200 X 2780 MM ITALIAN TILES (BEIGE); VERIFY COLOR WITH ARCHITECT WALL FINISHES
WF-06	EXTERIOR WOOD CLADDING
WF-07	HONED TRAVERTINE STONE
WF-08	INTERIOR WOOD CLADDING
WF-09	BLACK METAL SHEET; TO BE VERIFIED BY ARCHITECT
WF-10	WALL PAPER WALL
WF-12	LATEX MATTE WHITE PAINT
WF-13	600 X 600 MM GRAY STONE TILES; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-14	FABRIC PATTERNED WALLPAPERS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-18	BRONZE METAL STRIPS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-19	FABRIC WALL PANELS OVER WHITE PAINT
WF-20	WHITE MARBLE FINISH;

NOTE:
TO FINALIZE FURNITURE SET-OUT

NOTE:
VERIFY CONVENIENCE OUTLET MOUNTING HEIGHT WITH CASEWORK SHOP DRAWINGS FROM VENDOR

OWNER'S COPY

SHEET: ID-221B




5 MASTER LIVING ROOM KEYPLAN
SCALE 1 : 50 METERS

GENERAL NOTES FOR INTERIORS:

1. VERIFY ALL SWITCHING WITH REFLECTED CEILING PLANS
2. REFLECTED CEILING PLAN SWITCHING SHALL GENERALLY PREVAIL, CONSULT WITH ARCHITECT PRIOR TO WORK
3. VERIFY ALL DOOR DETAILS WITH VENDOR SHOP DRAWING
4. VERIFY ALL GLASS FENESTRATION WORKS WITH VENDOR SHOP DRAWING

SCHEDULE OF FINISHES

TAG	DESCRIPTION
WF-02	1200 X 1200 MM STONE TILES; OSM TO BE VERIFIED BY ARCHITECT
WF-03	600 X 600 MM GRAY HOMOGENOUS CERAMIC TILES; OSM
WF-04	200 X 200 MM PAVER TILES
WF-05	1200 X 2780 MM ITALIAN TILES (BEIGE); VERIFY COLOR WITH ARCHITECT WALL FINISHES
WF-06	EXTERIOR WOOD CLADDING
WF-07	HONED TRAVERTINE STONE
WF-08	INTERIOR WOOD CLADDING
WF-09	BLACK METAL SHEET; TO BE VERIFIED BY ARCHITECT
WF-10	WALL PAPER WALL
WF-12	LATEX MATTE WHITE PAINT
WF-13	600 X 600 MM GRAY STONE TILES; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-14	FABRIC PATTERNED WALLPAPERS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-18	BRONZE METAL STRIPS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-19	FABRIC WALL PANELS OVER WHITE PAINT
WF-20	WHITE MARBLE FINISH;



NOTE:
TO FINALIZE CASEWORK BUILT-IN WITH SUPPLIER

NOTE:
FOR PROVISION ONLY; OUTLETS INTERGRATED WITH WALL PANEL; VERIFY WITH SUPPLIER

3 MASTER LIVING ROOM_3
SCALE 1 : 30 METERS




4 MASTER LIVING ROOM_4
SCALE 1 : 30 METERS

NOTE:
VERIFY CONVENIENCE OUTLET MOUNTING HEIGHT WITH CASEWORK SHOP DRAWINGS FROM VENDOR

OWNER'S COPY

SHEET: ID-223A




1 MASTERS T&B KEYPLAN
SCALE 1 : 50 METERS

GENERAL NOTES FOR INTERIORS:


1. VERIFY ALL SWITCHING WITH REFLECTED CEILING PLANS
2. REFLECTED CEILING PLAN SWITCHING SHALL GENERALLY PREVAIL, CONSULT WITH ARCHITECT PRIOR TO WORK
3. VERIFY ALL DOOR DETAILS WITH VENDOR SHOP DRAWING
4. VERIFY ALL GLASS FENESTRATION WORKS WITH VENDOR SHOP DRAWING

SCHEDULE OF FINISHES

TAG	DESCRIPTION
WF-02	1200 X 1200 MM STONE TILES; OSM TO BE VERIFIED BY ARCHITECT
WF-03	600 X 600 MM GRAY HOMOGENOUS CERAMIC TILES; OSM
WF-04	200 X 200 MM PAVER TILES
WF-05	1200 X 2780 MM ITALIAN TILES (BEIGE); VERIFY COLOR WITH ARCHITECT WALL FINISHES
WF-06	EXTERIOR WOOD CLADDING
WF-07	HONED TRAVERTINE STONE
WF-08	INTERIOR WOOD CLADDING
WF-09	BLACK METAL SHEET; TO BE VERIFIED BY ARCHITECT
WF-10	WALL PAPER WALL
WF-12	LATEX MATTE WHITE PAINT
WF-13	600 X 600 MM GRAY STONE TILES; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-14	FABRIC PATTERNED WALLPAPERS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-18	BRONZE METAL STRIPS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-19	FABRIC WALL PANELS OVER WHITE PAINT
WF-20	WHITE MARBLE FINISH;



2 MASTERS T&B 1
SCALE 1 : 30 METERS




3 MASTERS T&B 2
SCALE 1 : 30 METERS



4 MASTERS T&B 3
SCALE 1 : 30 METERS

NOTE:
VERIFY THE SHOWER ENCLOSURE SUPPLIER & ALIGN DIVIDER TO WINDOW'S MULLION





5 MASTERS T&B 4
SCALE 1 : 30 METERS

NOTE:
VERIFY CONVENIENCE OUTLET MOUNTING HEIGHT WITH CASEWORK SHOP DRAWINGS FROM VENDOR

OWNER'S COPY

SHEET: ID-223B







SCHEDULE OF FINISHES	
TAG	DESCRIPTION
WF-02	1200 X 1200 MM STONE TILES; OSM TO BE VERIFIED BY ARCHITECT
WF-03	600 X 600 MM GRAY HOMOGENOUS CERAMIC TILES; OSM
WF-04	200 X 200 MM PAVER TILES
WF-05	1200 X 2780 MM ITALIAN TILES (BEIGE); VERIFY COLOR WITH ARCHITECT WALL FINISHES
WF-06	EXTERIOR WOOD CLADDING
WF-07	HONED TRAVERTINE STONE
WF-08	INTERIOR WOOD CLADDING
WF-09	BLACK METAL SHEET; TO BE VERIFIED BY ARCHITECT
WF-10	WALL PAPER WALL
WF-12	LATEX MATTE WHITE PAINT
WF-13	600 X 600 MM GRAY STONE TILES; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-14	FABRIC PATTERNED WALLPAPERS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-18	BRONZE METAL STRIPS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-19	FABRIC WALL PANELS OVER WHITE PAINT
WF-20	WHITE MARBLE FINISH;

1 MASTERS T&B KEYPLAN
SCALE 1 : 50 METERS

6 MASTERS T&B 5
SCALE 1 : 30 METERS




7 MASTERS T&B 6
SCALE 1 : 30 METERS




8 MASTERS T&B 7
SCALE 1 : 30 METERS

NOTE:
VERIFY THE SHOWER ENCLOSURE SUPPLIER
& ALIGN DIVIDER TO WINDOW'S MULLION



9 MASTERS T&B 8
SCALE 1 : 30 METERS

NOTE:
VERIFY THE SHOWER ENCLOSURE SUPPLIER
& ALIGN DIVIDER TO WINDOW'S MULLION




10 MASTERS T&B 9
SCALE 1 : 30 METERS

NOTE:
VERIFY THE SHOWER ENCLOSURE SUPPLIER
& ALIGN DIVIDER TO WINDOW'S MULLION

OWNER'S COPY

SHEET: ID-224B


SCHEDULE OF FINISHES	
TAG	DESCRIPTION
WF-02	1200 X 1200 MM STONE TILES; OSM TO BE VERIFIED BY ARCHITECT
WF-03	600 X 600 MM GRAY HOMOGENOUS CERAMIC TILES; OSM
WF-04	200 X 200 MM PAVER TILES
WF-05	1200 X 2780 MM ITALIAN TILES (BEIGE); VERIFY COLOR WITH ARCHITECT WALL FINISHES
WF-06	EXTERIOR WOOD CLADDING
WF-07	HONED TRAVERTINE STONE
WF-08	INTERIOR WOOD CLADDING
WF-09	BLACK METAL SHEET; TO BE VERIFIED BY ARCHITECT
WF-10	WALL PAPER WALL
WF-12	LATEX MATTE WHITE PAINT
WF-13	600 X 600 MM GRAY STONE TILES; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-14	FABRIC PATTERNED WALLPAPERS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-18	BRONZE METAL STRIPS; VERIFY COLOR & SPECIFICATION WITH ARCHITECT
WF-19	FABRIC WALL PANELS OVER WHITE PAINT
WF-20	WHITE MARBLE FINISH;



MASTER WALK-IN CLOSET


5 KEYPLAN

SCALE 1 : 50 METERS




1 MASTER WALK-IN CLOSET

SCALE 1 : 30 METERS



2 MASTER WALK-IN CLOSET_2


SCALE 1 : 30 METERS



3 MASTER WALK-IN CLOSET_3

SCALE 1 : 30 METERS

NOTE:
PROVISION FOR LIGHTS IN THE CABINETS. VERIFY WITH THE CABINET SUPPLIER



4 MASTER WALK-IN CLOSET_4

SCALE 1 : 30 METERS

NOTE:
VERIFY CONVENIENCE OUTLET MOUNTING HEIGHT WITH CASEWORK SHOP DRAWINGS FROM VENDOR

OWNER'S COPY